

SECTION 00 02 00 - NOTICE TO BIDDERS

NOTICE TO BIDDERS

Notice is hereby given that sealed bids will be received:

By: School City of Hammond and
Hammond Multi-School Building Corporation
41 Williams Street
Hammond, IN 46320

For: School City of Hammond New Secondary School for Hammond
Bid Package II – Building
Re-Bid of Bid Category No. 7 – Miscellaneous Metals
5926 Calumet Avenue
Hammond, IN 46320

At: School City of Hammond and
Hammond Multi-School Building Corporation
41 Williams Street
Hammond, IN 46320

Until: 10:00 AM (local time), April 4, 2019

Bid Opening: Bids will be publicly opened and read aloud at 10:00 AM (local time), in the
**School City of Hammond Administration Center and Hammond Multi
School Building Corporation, 41 Williams Street Hammond, IN 46320**

All work for the complete construction of the Project will be under one or more Prime Contracts with the Owner based on bids received and on combinations awarded. The Construction Manager will manage the construction of the Project.

Construction shall be in full accordance with the Bidding Documents which are on file with the Owner and may be examined by prospective bidders at the following locations:

Office of the Construction Manager
The Skillman Corporation
8006 Aetna Street
Merrillville, IN 46410

The Skillman Plan Room

www.skillmanplanroom.com

Prime and Non-Prime Contract Bidders must place an order on www.skillmanplanroom.com to be able to download documents electronically or request printed documents. There is no cost for downloading the bidding documents. Bidders desiring printed documents shall pay for the cost of printing, shipping and handling. Reprographic Services are provided by:

Reprographic Arts, 2824 E. Michigan Blvd., Michigan City, IN 46360, Phone (219) 872-9111

Bid security in the amount of ten percent (10%) of the Bid must accompany each Bid in accordance with the Instructions to Bidders.

The successful Bidders will be required to furnish Performance and Payment Bonds for one hundred percent (100%) of their Contract amount prior to execution of Contracts.

Contractors submitting bids for the performance of any Work as specified in this building Project should make such Bids to **School City of Hammond and Hammond Multi-School Building Corporation**. Contractors are advised that the Contract as finally entered into with any successful Bidder may be entered into with either the School Corporation or the Building Corporation or certain portions of the Contract may be entered into by both the School Corporation and the Building Corporation.

The Owner reserves the right to accept or reject any Bid (or combination of Bids) and to waive any irregularities in bidding. All Bids may be held for a period not to exceed **60** days before awarding contracts.

School City of Hammond
By: Dr. Walter Watkins, Superintendent

END OF SECTION 00 02 00

SECTION 01 12 00 - MULTIPLE CONTRACT SUMMARY

PART 1 - GENERAL

1.01 RELATED DOCUMENTS

- A. Drawings and General Provisions of the Prime Contract, including amended General Conditions and other Division 1 Specification Sections, apply to Work of this Section.

1.02 SUMMARY

- A. The intent of this Section is to indicate the Work required by the Contractors and to provide information regarding the duties, responsibilities, and cooperation required by the Contractors, with similar requirements for the subcontractors and suppliers.
- B. Owners right to maintain current operations
- C. Occupancy requirements
- D. Work by Owner
- E. Permits, fees, and notices
- F. Labor and materials
- G. Verifications of existing dimensions
- H. Project security
- I. Coordination of work
- J. Time of commencement and completion
- K. Schedule of contract responsibilities

1.03 WORK UNDER SEPARATE CONTRACTS

- A. Prime Contracts are defined to include the following contracts described in the Schedule of Contract Responsibilities included hereinafter; and each is recognized to be a major part of the project, with Work to be performed concurrently and in close coordination with Work of other Prime Contracts.
- B. The "Contract Documents," as defined in the General Conditions, include "the Drawings." Although Drawings are grouped and identified by classification of the Work, Contractors shall be responsible for their Work as specified herein and as

indicated on the Drawings. Although the majority of the Drawings are "to scale," Contractors are directed to use indicated dimensions for determining material quantities and for other reasons. No additional monies will be allowed due to Contractors using "scaling instruments" to determine material quantities or for other reasons.

- C. Separate prime contracts will be awarded as per the "**Schedule of Contract Responsibilities**" (see Part 3 – Execution). Contractors shall include Work required by the Specifications and Drawings for each contract area defined in the Schedule.
- D. Work for the complete construction of the Project will be under multiple prime contracts with the Owner. The Construction Manager will manage the construction of the Project.
- E. Each Contractor shall be responsible for demolition and disposal of existing items relative to his Contract.

1.04 ADMINISTRATIVE RESPONSIBILITIES OF PRIME CONTRACTORS AND CM

- A. The Construction Manager shall be responsible for the maintenance of the Construction Schedule and management of every phase of the Work.
 - 1. Each Contractor shall read the Specifications and Drawings for other separate Contracts for fixed equipment and the like to be incorporated or attached or built in to the Work; and familiarize himself with the requirements and responsibilities of other Contracts to enable the required coordination and supervision.
 - 2. Each Contractor shall also familiarize himself with other items to be incorporated into the Work including equipment and Work by the Owner.
 - 3. Each Contractor shall cooperate with the Construction Manager in notifying him when the Work is at a stage to require the services of other Contractors and shall notify the Construction Manager in the event that such other Contractors do not carry out their responsibilities in connection with such notification.
- B. Contractors shall cooperate with and assist the Construction Manager in the preparation of construction progress and procedures, schedule of product deliveries, and their effect on the overall project progress and completion. Other Contractors shall cooperate in getting their Work and the Work of their subcontractors completed according to the schedule as prepared and maintained by the Construction Manager. Each Contractor shall immediately notify the Construction Manager of a delay in delivery of products or the scheduled date of completion that may affect the total progress of construction.
- C. The Owner will furnish the topographical survey, either as a part of these Drawings or separately, giving the general topographical lines existing at the site and the property lines. This has also been provided in **Bid Package No. 1**.

- D. Contractors required to make connections to existing utilities, especially sewerage where gravity flow occurs, shall verify grades and locations at points of such connections and shall notify the Construction Manager of circumstances which would adversely affect the proper flow or connection to such facilities.

1.05 PRIME CONTRACTORS USE OF PREMISES

- A. Use of the Site: Limit use of the premises to work in areas indicated. Confine operations to areas within contract limits indicated. Do not disturb portions of the site beyond the areas in which the Work is indicated.
 - 1. Owner Occupancy: Allow for Owner occupancy and use by the public.
 - 2. Driveways and Entrances: Keep driveways and entrances serving the premises clear and available to the Owner, the Owner's employees, and emergency vehicles at all times. Do not use these areas for parking or storage of materials. Schedule deliveries to minimize space and time requirements for storage of materials and equipment on site.

1.06 OWNERS RIGHT TO MAINTAIN OPERATIONS

- A. During the course of this Project, normal and customary functions and operations must be maintained. The Contract Documents are intended to define a strict separation between the school activities of students and staff from the activities of the construction project.
- B. The Construction Manager, Architect, and Owner will not tolerate any visible or audible actions initiated or responded to by any employees of Contractors on this Project toward any students, teachers, or staff members at the school system. Violators shall be promptly removed from the site.
- C. The Owner intends to instruct students, teachers, and staff to refrain from communications with Contractor's personnel working on this Project. All communication with Owner and staff shall be through the Construction Manager.
- D. Contractors must expend their best effort toward protection of the health, safety, and welfare of occupants on the Owner's property during the course of Work on this Project.

1.07 OCCUPANCY REQUIREMENTS

- A. Full Owner Occupancy: The Owner will occupy the site and existing building during the entire construction period. Cooperate with the Owner during construction operations to minimize conflicts and facilitate Owner usage. Perform the Work so as not to interfere with the Owner's operations.
- B. Partial Owner Occupancy: The Owner reserves the right to occupy and to place and install equipment in completed areas of the building prior to Substantial Completion,

provided such occupancy does not interfere with completion of the Work. Such placing of equipment and partial occupancy shall not constitute acceptance of the total Work.

1. The Construction Manager will prepare a Certificate of Substantial Completion for each specific portion of the Work to be occupied prior to Owner occupancy.
2. Party which obtained general building permit shall obtain a Certificate of Occupancy from local building officials prior to Owner occupancy.
3. Prior to partial Owner occupancy, mechanical and electrical systems shall be fully operational. Required inspections and tests shall have been successfully completed. Upon occupancy, the Owner will operate and maintain mechanical and electrical systems serving occupied portions of the building.
4. Upon occupancy, the Owner will assume responsibility for maintenance and custodial service for occupied portions of the building.

1.08 WORK BY OWNER

- A. The Owner intends to complete the following items of Work outside the provisions of these Contract Documents. Contractors shall not restrict or interfere with the Owner's right to the Project to accomplish this Work.
 1. Equipment and furniture except as scheduled and specified under Divisions 11 and 12 and shown on the Drawings.
 2. Items which may be deleted from Contracts for Work as required by the Contract Documents.
 3. Existing school maintenance work.
 4. The purchase and supplying of certain materials as noted in the Project Manual.
 5. The Owner, under separate contract, shall provide removal of identified asbestos containing materials from the existing structure. The asbestos report is available through the Construction Manager upon request.

1.09 PERMITS, FEES, AND NOTICES

- A. The **Bid Category No. 4 Contractor** will secure the general building permit for the Owner. Each Contractor shall secure and pay for other permits, governmental fees, and licenses necessary for the proper execution and completion of his Work, which are applicable at the time the bids are also received. Fees to relocate utilities on Owner's property shall be included in the bid of the Contractor doing the relocation.
 1. State filing fees for plan approval are the responsibility of the Owner and will be paid by the Owner.
- B. Utility Tie-Ins: Shall be arranged with local utility company and other involved parties for minimum interruption of service.

- C. Shutdowns of existing systems shall be limited to minimum time required and scheduled with other involved parties. Provide 2 days written notice of shutdown to Construction Manager and Owner.
- D. Inspections of installed work shall be performed by the governing authority as arranged for by the Contractor. Work shall not be covered until approved.
- E. Each Contractor shall give notices and comply with laws, ordinances, rules, regulations, and orders of public authorities bearing on the performance of his Work. If a Contractor observes that the Contract Documents are at variance therewith, he shall promptly notify the Construction Manager in writing, and necessary changes shall be adjusted by appropriate notification. If a Contractor performs Work knowing it to be contrary to such laws, ordinances, rules, and regulations, and without such notice to the Construction Manager, he shall assume full responsibility therefore and shall bear the costs attributable thereto.

1.10 LABOR AND MATERIALS

- A. Unless otherwise specifically noted, the Contractor shall provide and pay for labor, materials, equipment, tools, construction equipment and machinery, water, heat, utilities, transportation, and other facilities and services necessary for the proper execution and completion of his Work, whether temporary or permanent and whether or not incorporated or to be incorporated in the Work.
- B. Each Contractor shall enforce strict discipline and good order among his employees or other persons carrying out Work of his Contract and shall not permit employment of unfit person or persons or anyone not skilled in the task assigned to them.
- C. Contractors and Subcontractors shall be subject to such rules and regulations for the conduct of the Work as the Owner may establish. Employees shall be properly and completely clothed while working. Bare torsos, legs and feet will not be allowed. Possession or consumption of alcoholic beverages or drugs, tobacco or other noxious behavior on the site is strictly prohibited. Violators shall be promptly removed from the site. Smoking is not permitted on school property or within school buildings.
- D. Contractors will conduct criminal background checks (extent of and/or service to be used will be established by the Owner) on every employee assigned to work on the Project and clear them through the National Sex Offender Registry prior to their assignment to Project. Contractors will require the same of sub-contractors.
- E. ID Badges will be issued by The Skillman Corporation upon receipt of verification from the Contractor that the employee/subcontractor employee or independent contractor has a satisfactory record to work on the Project.
- F. Verify Compliance: Pursuant to I.C. 22-5-1.7, Contractor shall enroll in and verify

the work eligibility status of all newly hired employees of Contractor through the E-Verify Program (Program). Contractor is not required to verify the work eligibility status of all newly hired employees through the Program if the Program no longer exists. Also pursuant to I.C. 22-5-1.7, Contractor must execute an affidavit affirming that the Contractor does not knowingly employ an unauthorized alien and confirming Contractor's enrollment in the Program, unless the Program no longer exists, shall be filed with the Owner prior to the execution of this contract. This contract shall not be deemed fully executed until such affidavit is delivered to the Owner.

Contractor and its subcontractors shall not knowingly employ or contract with an unauthorized alien or retain an employee or contract with a person that contractor or its subcontractor subsequently learns is an unauthorized alien. If Contractor violates this provision the Owner shall require Contractor to remedy the violation not later than thirty (30) days after the Owner notifies Contractor. If Contractor fails to remedy the violation within the thirty (30) day period, the Owner shall terminate the contract for breach of contract. If Owner terminates the contract, Contractor shall be liable to the Owner for actual damages in addition to any other contractual remedies. There is a rebuttable presumption that Contractor did not knowingly employ an unauthorized alien if Contractor verified the work eligibility status of the employee through the Program.

Prior to performing any work, Contractor shall require each subcontractor to certify to Contractor that the subcontractor does not knowingly employ or contract with an unauthorized alien and has enrolled in the Program. Contractor shall maintain on file a certification from each subcontractor throughout the duration of this contract or project which is the subject of this contract. If Contractor determines that a subcontractor is in violation of this provision, Contractor may terminate its contract with the subcontractor for such violation. In Accordance with I.C. 5-16-13 Contractor must provide the E-Verify Case Number of every employee that works on the project. This requirement includes the contractor's subs and suppliers to the fourth (4th) tier.

- G. The Owner is requiring that all contractors' personnel and their onsite employees (trade employees) and subcontractors submit an expanded history check through Safe Hiring Solutions, P.O. Box 295, Danville, IN 46122, 1-888-215-8296. (Contractor is responsible for the cost of this background check). This should meet with the Owner's approval prior to the employee starting work on the project. All contractors' personnel and employees once cleared for work will be issued a project identification badge that must be worn at all times while on site. All contractors will be expected to provide the required name, address, picture state driver's license or picture state identification card information to The Skillman Corporation Site Manager no later than 24 hours in advance of the employee coming to work at the project site.
- H. The new Public Works Law pursuant to Indiana Code 5-16-13 Requirements for Contractors on Public Works Projects enacted by the Indiana Legislator requires,

in addition to requirements already in effect, contractors to comply with the following:

1. Tier 1 –General/Prime Contractors to self-perform 15% of their total Contract.
2. Qualification thru the Department of Administration or INDOT. For the bidders on State Projects and on State Projects more than \$150,000 Qualification is required prior to bidding per IC 4-13.6-4. For work on Local Unit Government Projects qualification is only required on contracts of \$300,000.
3. Include Written Drug Testing Plan that covers all employees of the bidder who will perform work on the public work project and meets or exceeds the requirements set in IC 4-13-18-5 or IC 4-13-18-6 with Bid.
4. Minimum Insurance Requirements \$1M/occurrence \$2M/aggregate. However, check your bidding requirements as the Owners may have higher limit requirements.
5. Mandatory enrollment in E-Verify by all contractors down to the 4th Tier Sub Contracts and must provide the case verification number of all employees working on the project.
6. Prohibits contractors down to the 4th Tier Sub Contract from paying employees in cash.
7. Requirement to retain payroll records for 3 years
8. All contractors down to the 4th Tier Sub Contract must comply with Fair Labor Act, Indiana's Workers Compensation and Unemployment Compensation Insurance.
9. Mandatory Training Requirements based upon number of employees.

Failure to comply may result in debarment from public works projects for up to 4 years.

- I. All contractors down to the 4th Tier Sub Contract must maintain general liability insurance in at least the following amounts: Each Occurrence Limit of \$1,000,000 and General Aggregate Limit of \$2,000,000. Other requirements and limits may apply see specification section 00 08 20 Schedule of Insurance Requirements.

1.11 CUTTING AND PATCHING

- A. Refer to Section 01 73 10 – Cutting and Patching, for provisions on this subject.

1.12 VERIFICATIONS OF EXISTING DIMENSIONS

- A. When verification of existing dimensions is required, the Contractor requiring said verification for the construction or fabrication of his material shall be the Contractor responsible for the procurement of the field information.

1.13 PROJECT SECURITY

- A. Each Prime Contractor shall take all reasonable precautions to prevent injury, damage or loss to people and property in, on and adjacent to the project. This shall include not only their own work or property but that of other contractors and the Owner.
- B. If deemed necessary by The Construction Manager a project wide security program may be developed for the purpose of preventing damage or loss at the project site or property adjacent thereto. Once accepted by the Owner, contractors shall comply.

1.14 SCHEDULE OF CONTRACT RESPONSIBILITIES - SCOPE

- A. Contractors shall submit their proposals based on the work included under each contract area as listed herein. Include Work necessary for a complete project, as shown on the Drawings and called for in the Specifications.
- B. Questions concerning the phasing or "Schedule of Contract Responsibilities" should be directed to the Construction Manager, who will be the interpreter and be responsible for this Schedule of Contract Responsibilities and Contract Breakdown, prior to submitting proposals and during construction.
- C. The requirements of Division 1 are a part of the Work of each and every contract area. The Contractor for any one contract area shall be familiar with the Work and requirements of all other contract areas.
- D. Certain Specification Sections describe Work to be performed under several contract areas. (Example: 06 10 00 - Rough Carpentry.) Provide Work of this nature as required for each contract area whether or not enumerated in the Schedule of Contract Responsibilities.
- E. The following contract areas are broken down by Specifications Section conforming basically to the CSI format.
- F. The Drawings and Specifications as furnished for each of the Contracts is for the convenience of the Contractor in preparing a proposal for this Project. However, each Contractor is responsible to review the complete set of Drawings and Specifications to assure that Work required to be installed to complete his phase of the Work is included in his proposal. This "Schedule of Contract Responsibilities" is a definition of the work as it is to be bid in separate contracts. Where a specific item of Work is not defined, but is normally inherent to a trade, or is included in the scope of the applicable technical revision, it will be the responsibility of that Contractor to include the Work in his proposal.
- G. This "Schedule of Contract Responsibilities" is to aid each Contractor in defining the Scope of Work to be included in his proposal. However, omissions from this

"Schedule of Responsibilities" do not relieve the Contractor from including in his proposal that Work which will be required to complete his Contract. Each Contractor should read the "Schedule of Contract Responsibilities" completely to familiarize himself with the Work of other Contractors that may have Work in adjacent areas and to coordinate the interfacing problems that may occur as the work is assembled and constructed.

- H. Where specific Work is to be completed under a particular phase of the Project and the Work is wholly or partially completed by other trades because of the type of work involved or jurisdictional trade agreements, the Contractor will be responsible to subcontract the Work as necessary to complete the Work included in his Contract. No delay in the Work will be allowed due to the failure of the Contractor to subcontract related work required by jurisdictional trade agreements.

1.15 COORDINATION OF WORK

- A. Each Contractor is responsible to coordinate his Work with the Work of other trades and other Contractors and requirements of the school system. The Contractor must make space allowances for Work of other Contractors; provide necessary openings where indicated or implied by the Drawings and Specifications. Each Contractor is responsible to protect his own Work.

1.16 TIME OF COMMENCEMENT AND COMPLETION

- A. The Contractor shall commence work within ten (10) days after being notified in writing to proceed and shall complete the Work within the time limitations established in the Form of Agreement.
 - 1. It is anticipated that construction will start within **28** calendar days after receipt of bids.
 - 2. Construction shall be complete within **835** consecutive calendar days, or earlier, after Notice to Proceed.

PART 2 - PRODUCTS (Not Used)

PART 3 - EXECUTION

3.01 SCHEDULE OF CONTRACT RESPONSIBILITIES

3.02 GENERAL REQUIREMENTS

A. PROVIDED BY OWNER THROUGH THE CONSTRUCTION MANAGER

Section	01 32 00	Schedules and Reports
Section	01 45 00S	Masonry Inspection Report
Section	01 45 10	Testing Laboratory Services
Section	01 51 40	Temporary Telephone
Section	01 59 10	Project Office
Section	01 71 50	Final Cleaning

B. PROVIDED BY ALL CONTRACTORS AS APPLICABLE

Section	01 12 00	Multiple Contract Summary
Section	01 2 300	Alternates
Section	01 25 00	Contract Modification Procedures
Section	01 28 00	Schedule of Values
Section	01 29 00	Applications for Payment
Section	01 31 00	Project Meetings
Section	01 32 00	Schedules and Reports
Section	01 33 00	Submittal Procedures
Section	01 40 00	Quality Requirements
Section	01 45 10	Testing Laboratory Services (Paragraph 1.05)
Section	01 50 50	Temporary Facilities and Controls
Section	01 51 40	Temporary Telephone
Section	01 54 60	Environment Protection
Section	01 54 80	Utility Protection
Section	01 56 30	Water Control
Section	01 56 90	Housekeeping & Safety
Section	01 59 20	Offices and Sheds
Section	01 60 00	Product Requirements
Section	01 72 50	Work Layout
Section	01 73 10	Cutting and Patching
Section	01 77 00	Contract Closeout

All Contractors shall provide their Superintendents with radios capable of handling multiple channels and compatible with radios used by the Construction Manager.

C. PROVIDED BY DESIGNATED CONTRACTORS

Section	01 21 00	Allowances
Section	01 51 10	Temporary Electricity, Lighting and Warning Systems
Section	01 51 30	Temporary Heating, Ventilation and Cooling
Section	01 51 50	Temporary Water
Section	01 51 60	Temporary Sanitary Facilities
Section	01 51 80	Temporary Fire Protection
Section	01 52 10	Construction Aids and Temporary Enclosures
Section	01 52 60	Rubbish Container
Section	01 53 10	Fences (Temporary Security)
Section	01 53 20	Tree and Plant Protection
Section	01 53 30	Barricades
Section	01 55 00	Access Roads and Parking Areas
Section	01 56 20	Dust Control
Section	01 56 80	Erosion Control
Section	01 57 60	Project Signs
Section	01 72 00	Field Engineering

3.03 BID CATEGORIES

A. BID CATEGORY NO. 4 - GENERAL TRADES

General Requirements in Paragraph 3.02.B above.

Section	01 21 00	Allowances
Section	01 51 60	Temporary Sanitary Facilities
Section	01 51 80	Temporary Fire Protection
Section	01 52 10	Construction Aids and Temporary Enclosures
Section	01 52 60	Rubbish Containers (As Applicable)
Section	01 53 10	Fences (Temporary Security)
Section	01 53 30	Barricades
Section	01 54 60	Environment Protection (As Applicable)
Section	01 54 80	Utility Protection (As Applicable)
Section	01 56 20	Dust Control
Section	01 56 30	Water Control (As Applicable)
Section	01 56 80	Erosion Control
Section	01 72 00	Field Engineering
Section	02 41 19	Selective Demolition
Section	03 30 00	Cast-In-Place Concrete (As Applicable)
Section	06 10 53	Miscellaneous Rough Carpentry (As Applicable)
Section	06 16 00	Sheathing (As Applicable)
Section	06 40 23	Interior Architectural Woodwork
Section	07 17 00	Bentonite Waterproofing
Section	07 21 00	Thermal Insulation (As Applicable)
Section	07 84 13	Penetration Firestopping (As Applicable)
Section	07 84 46	Fire-Resistive Joint Systems (As Applicable)
Section	07 92 00	Joint Sealants
Section	08 11 13	Hollow Metal Doors and Frames

Section	08 14 16	Flush Wood Doors
Section	08 16 13.98	Molded Fiberglass Reinforced Plastic Doors and Frames
Section	08 16 13.99	Composite Fiberglass Reinforced Plastic Doors and Frames
Section	08 31 13	Access Doors and Frames (As Applicable)
Section	08 33 23	Overhead Coiling Doors
Section	08 71 00	Door Hardware (As Applicable)
Section	09 69 00	Access Flooring
Section	10 11 00	Visual Display Surfaces
Section	10 14 00	Signage
Section	10 14 53.99	Traffic Signage
Section	10 21 13.99	Plastic Toilet Compartments
Section	10 21 23	Cubicle Curtains and Track
Section	10 22 39	Folding Panel Partitions
Section	10 26 00	Wall and Door Protection
Section	10 28 00	Toilet, Bath, and Laundry Accessories
Section	10 51 13	Metal Lockers
Section	10 51 26.99	Plastic Lockers
Section	10 73 17.99	Pre-Engineered Canopy System
Section	11 13 13	Loading Dock Bumpers
Section	11 13 19	Stationary Loading Dock Equipment
Section	11 51 23	Library Stack Systems
Section	11 52 13	Projection Screens
Section	11 61 23	Portable Platforms
Section	11 61 34	Tension Wire Grid
Section	11 61 60	Stage Rigging
Section	11 66 23	Gymnasium Equipment
Section	11 66 53	Gymnasium Dividers
Section	12 22 00	Curtains and Drapes
Section	12 24 13	Roller Window Shades
Section	12 93 00	Site Furnishings
Section	13 15 00	Aquatic Construction and Related Systems
Section	14 24 00	Hydraulic Elevators
Section	31 10 00	Site Clearing (As Applicable)
Section	31 20 00	Earth Moving (As Applicable)
Section	31 23 19	Dewatering
Section	31 50 00	Excavation Support and Protection (As Applicable)
Section	32 12 16	Asphalt Paving
Section	32 13 13	Concrete Paving
Section	32 13 73	Concrete Paving Joint Sealants
Section	32 14 00	Unit Paving
Section	32 31 13	Chain Link Fences and Gates
Section	32 31 19	Decorative Metal Fences and Gates
Section	32 92 00	Turf and Grasses
Section	33 41 00	Storm Utility Drainage Piping
Section	33 46 00	Subdrainage

Clarification No. 1:

Contractors are advised that the scope of work identified as **Bid Package No. 2** is a prerequisite to **Bid Package No. 3** which will be the football field and amenities for the New Middle/High School for Hammond. The **Bid Package No. 3** work is scheduled to start about March 2020. The Guideline Schedule indicates completion of certain critical activities that contractors for **Bid Package No. 2** must accomplish. (Reference spec section 01 32 00 Schedules and Reports). The Guideline Schedule also indicates some of the work in **Bid Package No. 4** for coordination with Bid Package No. 1, 2, and 3. All **Bid Package No. 2** contractors will be required to coordinate their work with the work associated with the future **Bid Packages** and also **Bid Package No. 1**.

Clarification No. 2:

All contractors shall subscribe to PlanGrid for use on this project. The number of users is up to the contractor. PlanGrid will be used for the current construction documentation to include, current set, addenda, SI's, As-Built Conditions, QA/QC, and Punch Lists. Visit www.PlanGrid.com to determine subscription pricing. At a minimum, onsite personnel will be required to use this product to facilitate communication. It is recommended that an office administrator assist field personnel. PlanGrid is a tool for the construction phase and will not be used for bidding.

Clarification No. 3:

Regarding any references to "GC" or "General Contractor" indicated on the Contract Documents, this work is the responsibility of the **Bid Category No. 4 Contractor**.

Clarification No. 4:

Regarding Section 01 72 00 - Field Engineering, **Bid Category No. 4 Contractor** shall provide Field Engineering required for work on Site Drawings including the final Certified Survey. The **Bid Package No. 1, Bid Category No. 2 Contractor** has provided Field Engineering strictly for all of the work associated with the inside and shell of the building.

Clarification No. 5:

Regarding Specification Sections 06 10 53 - Miscellaneous Rough Carpentry, and 06 16 00 - Sheathing; the **Bid Category No. 6 Contractor** is responsible to provide all blocking, sheathing, or backing required for roof installation including MEP curbs, roof hatches, coping, fascia, parapet, etc. shown or required on the contract documents. The **Bid Category No. 9 Contractor** is responsible to provide all wood blocking, sheathing, or backing within and/or attached to metal stud wall assemblies. The **Bid Category No. 4 Contractor** is responsible to provide wood blocking, sheathing, or backing that is attached to or within miscellaneous metals. An example of this can be found on the Structural drawings S-412.2, Framing Sections and Details. The **Bid Category No. 4 Contractor** is responsible to provide all other wood blocking, sheathing, or backing required by the contract documents.

Clarification No. 6

The **Bid Category No. 4 Contractor** is to provide 800 LF of 6" wide insulated metal stud walls double sided with $\frac{3}{4}$ " plywood to separate work areas within the building as Units progress. Exact locations and lineal footage to be identified by the Construction Manager. Height of partitions to be 4" above finished ceiling and in some cases to be fasten to the underside of the metal decking. Provide twenty (20) 4' wide hinged door openings to maintain emergency egress at each location. Allow for relocation and removal of each wall section five (5) times as necessary due to construction progress when directed by the Construction Manager.

Clarification No. 7:

Regarding Specification Sections 07 84 13 - Penetration Firestopping, and 07 84 46 - Fire Resistance Joint Systems; the contractor whose work creates a condition requiring firestopping will be responsible to provide firestopping in accordance with the contract documents.

Clarification No.8:

Regarding Specification Section 07 92 00 - Joint Sealants; contractors are to provide caulking in accordance with the Contract Documents. In general, the Contractor whose work creates a joint that requires caulking (in the normal sequence of work) is to provide the caulking. The **Bid Category No. 10 Contractor** shall provide caulking at all Hollow Metal Frames.

Clarification No. 9:

Bid Category No. 4 Contractor shall provide all of the **Bid Package No. 2** curbs, walks, housekeeping pads, and sub grade foundations. All other concrete equipment pads, curbs and housekeeping pads shown or required for mechanical, plumbing, fire protection and electrical equipment are the responsibility of the contractor providing the equipment. Concrete for light pole bases are to be provided by the **Bid Category No. 21 Contractor**.

Clarification No. 10:

The **Bid Category No. 4 Contractor** is to include his bid, sweeping compound and 1000 man-hours for general building and site clean-up (or other work) to be performed by a skilled laborer at the direction of the Construction Manager throughout the duration of the project. At the end of the project, unused hours will be converted into a dollar amount and returned to the Owner as a deduct Change Order.

Clarification No. 11:

The **Bid Category No. 5 Contractor** shall provide all loose steel lintels for the masonry work. The **Bid Category No. 5 Contractor** shall install the embeds, anchor bolts, and bearing plates needed for their Masonry work along with providing layout drawings shown or required by the Contract Documents, including those required for mechanical openings. The **Bid Package No. 1, Bid Category No. 3** will FURNISH the embeds, anchor bolts, and bearing plates. The **Bid Category No. 7 Contractor** shall provide all other Metal Fabrications. Contractors are advised that the Building Structural Steel has been provided by the **Bid Category No. 3 Contractor** as part of **Bid Package No. 1**.

Clarification No. 12:

Regarding Specification Section 08 31 13 - Access Door and Frames; **Bid Category No. 16, 17, 18, 19, 20, 21** are responsible to coordinate access doors and frames for installation purposes with the **Bid Category No. 5 and No. 9 Contractors**. Access doors and frames attached to or within masonry walls is the responsibility of the **Bid Category No. 5 Contractor**. Access doors and frames attached to or within the metal stud wall assemblies is the responsibility of the **Bid Category No. 9 Contractor**. Access doors and frames attached to or within Kitchen Equipment, MEP and FP systems are the responsibility of the **Bid Category No. 16, 17, 18, 19, 20, 21 Contractors**. All other access doors and frames included within this section is the responsibility of the **Bid Category No. 4 Contractor**.

Clarification No. 13:

Regarding Specification Section 08 71 00 - Door Hardware; the **Bid Category No. 4 Contractor** is to furnish the Door Hardware for the Aluminum Entrances and turn this hardware over to the **Bid Category No. 8 Contractor** for installation. The **Bid Category No. 4 Contractor** is to coordinate the turnover of the hardware to the **Bid Category No. 8 Contractor** in a timely manner to prevent any delays to the installation of the aluminum entrances for the project.

Clarification No. 14:

Provide access roads on the exterior and inside the Buildings Units sufficient to support structural steel erection cranes as indicated on the contract documents. Within the building perimeter, provide access roads along with ramps at piers and footings, using drainage course material. Access roads are to be of a width and thickness equivalent to the volume of stone required for the entire building and located to accommodate steel erection. Coordinate all work with the MEPS and the **Bid Package No. 1 Primes**, however at the appropriate time, distribute stone as required for new construction and as directed by the Construction Manager. Unless otherwise noted by the Construction Manager, remove all stone outside the building and remove all stone that, in the opinion of the Construction Manager, is too contaminated to reuse.

Clarification No. 15:

The **Bid Category No. 4 Contractor** shall protect the domestic water, and fire main rough in at concrete slabs elevation from freezing. Provide temporary walls, heat trace, and proper blanketing.

Clarification No. 16:

Contractors are advised that a project dewatering operation is being provided by the **Bid Package No. 1, Bid Category No. 1 Contractor**. Once all of the sub base foundations have been provided and backfilled, it will be the responsibility of the **Bid Category No. 4, 18, and 21 Contractors** to provide dewatering as required to perform their scope of work without causing delays to the overall schedule. The **Bid Category No. 4 Contractor** shall be responsible to dewater the elevator pits along with the pool construction for continuation of work to occur.

Clarification No. 17:

For construction access purposes, the 2nd, and 3rd floor windows are to be left out and installed at a later date on the north elevation of Unit A, including stopping the masonry at slab on deck elevation. The **Bid Category No. 5, 8, 9, and 10 Contractors** shall remobilize to complete this work. The **Bid Category No. 4 Contractor** shall construct a temporary enclosure with access doors and a secondary interior guardrail system to create a loading platform. All Contractors utilizing the opening are responsible to open, close, and ensure safe use while using, including safety of others working in the area. The **Bid Category No. 5 Contractor** shall provide an opening at the masonry wall in unit G along column line AQ from column lines 6 and 7. Another opening shall be provided at Unit K along column line 31 from column lines AB to AE. This will be for the **Bid Category No. 19 and 20 Contractors** to set the Mechanical Equipment and ductwork. The **Bid Category No. 5 Contractor** shall remobilize to complete the masonry work at a later date.

Clarification No. 18:

The **Bid Category No. 4 Contractor** is to include \$35,500 in their bid for costs associated with the submittal website and document management subscription. Any unused amount will be credited back to the Owner as a deductive Change Order

Clarification No. 19:

Private utilities locate will be required. The **Bid Category No. 4 Contractor** is to include in their bid, any costs associated to have a private utility locate company identify all utilities on the site outside the public utility boundaries.

Clarification No. 20:

The **Bid Category No. 4** is responsible to remove any dirt and mud that is tracked on public roadways on a daily basis.

Clarification No. 21:

The **Bid Category No. 4** is responsible to provide the continuation and implement the SWPPP, maintain the project dewatering, temporary security fencing, and silt fencing per the erosion control plan. The **Bid Package No. 1, Bid Category No. 1 Contractor** will provide this work unit November 2019.

Clarification No. 22:

The **Bid Package No. 1, Bid Category No. 1 Contractor** has provided all underground utilities (sanitary sewer, storm sewer, water lines) to within 5' - 0" of the building perimeter strictly for that **Bid Package**. The **Bid Category No. 18 Contractor** is to provide all new utility tie ins, cleanouts and make final connections except for the gas line. This will be the responsibility of **Bid Category No. 20**. The **Bid Category No. 18 Contractor** is to coordinate with the **Bid Category No. 6 and 20 Contractors** to make all final connection for the exterior downspouts. All excavation and backfill required to make final connections are by the **Bid Category No. 18 Contractor**.

Clarification No. 23:

The **Bid Category No. 4** contractor is responsible to start protecting shallow foundations from cold weather conditions after the **Bid Package No. 1 Contract** expires about November 2019.

Clarification No.24:

The **Bid Category No. 4 Contractor** shall provide plywood covered frames for window openings, overhead door openings, and hinged plywood at door openings to maintain temperatures necessary to perform the work and provide security. Provide protection against adverse weather so that the building and materials will not be damaged, and against unauthorized entry. Protection shall be provided well in advance of finishing operations to prevent penetration of dust or moisture into finished areas. Provide ten (10) Construction grade padlocks keyed alike with freeze protection for gates/doors with a minimum of ten (10) keys for distribution to designated contractors and the Construction Manager.

Clarification No. 25:

The **Bid Category No. 4 Contractor** is to provide snow removal from parking areas and building access points throughout the duration of the project.

Clarification No. 26:

Regarding coordinating the installation of required penetrations, roof openings, wall openings floor openings, etc.; the Contractor whose work creates the opening or penetration is responsible for patching, repairing and sealing the opening or penetration to maintain the warranty.

Clarification No. 27:

Regarding Specification Section 07 21 00 - Thermal Insulation; Insulation attached to or within masonry walls is the responsibility of the **Bid Category No. 5 Contractor**. Insulation attached to or within the roofing membrane and vertical parapet walls is the responsibility of the **Bid Category No. 6 Contractor**. Insulation attached to or within metal stud walls and soffits is the responsibility of the **Bid Category No. 9 Contractor**. All other insulation included within this section is the responsibility of the **Bid Category No. 4 Contractor**.

Clarification No. 28:

Regarding Specification Section 11 40 00 - Food Facility Equipment; any reference in the specifications and/or drawings to "GD-General Division or General Contractor" is the responsibility of the **Bid Category No. 4 Contractor**. Any reference in the specifications and/ or drawings to "FPD - Fire Protection Division or Fire Protection Contractor" is the responsibility of the **Bid Category No. 17 Contractor**. Any reference in the specifications and/ or drawings to "PD - Plumbing Division or Plumbing Contractor" is the responsibility of the **Bid Category No. 18 Contractor**. Any reference in the specifications and/ or drawings to "Sheet Metal/Ventilation Division or Sheet Metal Contractor" is the responsibility of the **Bid Category No. 19 Contractor**. Any reference in the specifications and/ or drawings to "MD - Mechanical Division or Mechanical Contractor" is the responsibility of the **Bid Category No. 20 Contractor**. Any reference in the specifications and/or drawings to "ED- Electrical Division or Electrical Contractor" is the responsibility of the **Bid Category No. 21 Contractor**.

Clarification No. 29:

The **Bid Category No. 4 Contractor** shall vacuum the sub floor prior to installing flooring materials at all locations throughout the building.

Clarification No.30:

The **Bid Category No. 4, Bid Category No. 18, and Bid Category No. 21 Contractors** are responsible for the excavation and backfilling of their work in accordance with the Specifications.

Clarification No. 31:

Each contractor is responsible to provide adequate ventilation of equipment exhaust while working in the building specifically in the larger spaces in Units F Through L.

Clarification No. 32:

The **Bid Category No. 4 Contractor** shall provide final cleaning of the entire pool equipment room and all equipment outside the pool equipment room at substantial completion.

Clarification No. 33:

The **Bid Category No. 4 Contractor** shall provide a 75" Visio LED Smart TV monitor within the Construction Project Office, mounted at the direction of the Construction Manager. All electrical requirements shall be provided within the Project office as well.

Clarification No. 34:

The **Bid Category No. 4 Contractor** shall provide OSHA approved fall protection at the pool edge throughout the duration of the project.

Clarification No. 35:

The **Bid Category No. 4 Contractor** shall stockpile the spoils from the pool excavation to the west elevation area as indicated on the Contract Documents. The **Bid Category No. 4 Contractor** shall protect and maintain the stockpile for the duration. This stockpile will serve as backfill for a future **Bid Package - Demolition/Parking Project**.

B. BID CATEGORY NO. 5 - MASONRY

General Requirements in Paragraph 3.02.B above.

Section	01 21 00	Allowances
Section	01 52 60	Rubbish Container (As Applicable)
Section	01 54 60	Environment Protection (As Applicable)
Section	04 20 00	Unit Masonry
Section	05 50 00	Metal Fabrication (As Applicable)
Section	07 21 00	Thermal Insulation
Section	07 27 13	Modified Bituminous Sheet Barriers (As Applicable)
Section	07 84 13	Penetration Firestopping (As Applicable)
Section	07 92 00	Joint Sealants (As Applicable)
Section	07 95 00	Expansion Control (As Applicable)
Section	08 31 13	Access Doors and Frames (As Applicable)

Clarification No. 1:

Contractors are advised that the scope of work identified as **Bid Package No. 2** is a prerequisite to **Bid Package No. 3** which will be the football field and amenities for the New Middle/High School for Hammond. The **Bid Package No. 3** work is scheduled to start about March 2020. The Guideline Schedule indicates completion of certain critical activities that contractors for **Bid Package No. 2** must accomplish. (Reference spec section 01 32 00 Schedules and Reports). The Guideline Schedule also indicates some of the work in **Bid Package No. 4** for coordination with Bid Package No. 1, 2, and 3. All **Bid Package No. 2** contractors will be required to coordinate their work with the work associated with the future **Bid Packages** and also **Bid Package No. 1**.

Clarification No. 2:

All contractors shall subscribe to PlanGrid for use on this project. The number of users is up to the contractor. PlanGrid will be used for the current construction documentation to include, current set, addenda, SI's, As-Built Conditions, QA/QC, and Punch Lists. Visit www.PlanGrid.com to determine subscription pricing. At a minimum, onsite personnel will be required to use this product to facilitate communication. It is recommended that an office administrator assist field personnel. PlanGrid is a tool for the construction phase and will not be used for bidding.

Clarification No. 3:

The **Bid Category No. 5 Contractor** shall provide all loose steel lintels for the masonry work. The **Bid Category No. 5 Contractor** shall install the embeds, anchor bolts, and bearing plates needed for their Masonry work along with providing layout drawings shown or required by the Contract Documents, including those required for mechanical openings. The **Bid Package No. 1, Bid Category No. 3** will FURNISH the embeds, anchor bolts, and bearing plates. The **Bid Category No. 7 Contractor** shall provide all other Metal Fabrications. Contractors are advised that the Building Structural Steel has been provided by the **Bid Category No. 3 Contractor** as part of **Bid Package No. 1**.

Clarification No. 4:

Regarding Specification Sections 07 84 13 - Penetration Firestopping, and 07 84 46 - Fire Resistance Joint Systems; the contractor whose work creates a condition requiring firestopping will be responsible to provide firestopping in accordance with the contract documents.

Clarification No. 5:

Regarding Specification Section 07 92 00 - Joint Sealants; contractors are to provide Caulking in accordance with the Contract Documents. In general, the Contractor whose work creates a joint that requires caulking (in the normal sequence of work) is to provide the caulking. The **Bid Category No. 10 Contractor** shall provide caulking at all Hollow Metal Frames.

Clarification No. 6:

For construction access purposes, the 2nd, and 3rd floor windows are to be left out and installed at a later date on the north elevation of Unit A, including stopping the masonry at slab on deck elevation. The **Bid Category No. 5, 8, 9, and 10 Contractors** shall remobilize to complete this work. The **Bid Category No. 4 Contractor** shall construct a temporary enclosure with access doors and a secondary interior guardrail system to create a loading platform. All Contractors utilizing the opening are responsible to open, close, and ensure safe use while using, including safety of others working in the area. The **Bid Category No. 5 Contractor** shall provide an opening at the masonry wall in unit G along column line AQ from column lines 6 and 7. Another opening shall be provided at Unit K along column line 31 from column lines AB to AE. This will be for the **Bid Category No. 19 and 20 Contractors** to set the Mechanical Equipment and ductwork. The **Bid Category No. 5 Contractor** shall remobilize to complete the masonry work at a later date.

Clarification No. 7:

Regarding Specification Section 07 21 00 - Thermal Insulation; Insulation attached to or within masonry walls is the responsibility of the **Bid Category No. 5 Contractor**. Insulation attached to or within the roofing membrane and vertical parapet walls is the responsibility of the **Bid Category No. 6 Contractor**. Insulation attached to or within metal stud walls and soffits is the responsibility of the **Bid Category No. 9 Contractor**. All other insulation included within this section is the responsibility of the **Bid Category No. 4 Contractor**.

Clarification No. 8:

Regarding Specification Section 07 27 13 - Modified Bituminous Sheet Air Barriers; air barriers applied to or within masonry walls is the responsibility of the **Bid Category No. 5 Contractor**. All other Bituminous Sheet Air Barriers included within this section is the responsibility of the **Bid Category No. 9 Contractor**.

Clarification No. 9:

Each contractor is responsible to provide adequate ventilation of equipment exhaust while working in the building specifically in the larger spaces in Units F Through L.

Clarification No. 10:

Regarding Specification Section 08 31 13 - Access Door and Frames; **Bid Category No. 16, 17, 18, 19, 20, 21** are responsible to coordinate access doors and frames for installation purposes with the **Bid Category No. 5 and No. 9 Contractors**. Access doors and frames attached to or within masonry walls is the responsibility of the **Bid Category No. 5 Contractor**. Access doors and frames attached to or within the metal stud wall assemblies is the responsibility of the **Bid Category No. 9 Contractor**. Access doors and frames attached to or within Kitchen Equipment, MEP and FP systems are the responsibility of the **Bid Category No. 16, 17, 18, 19, 20, 21 Contractors**. All other access doors and frames included within this section is the responsibility of the **Bid Category No. 4 Contractor**.

C. BID CATEGORY NO. 6 - ROOFING & METAL COMPOSITES

General Requirements in Paragraph 3.02.B above.

Section	01 21 00	Allowances
Section	01 52 60	Rubbish Container (As Applicable)
Section	06 10 53	Miscellaneous Rough Carpentry (As Applicable)
Section	06 16 00	Sheathing (As Applicable)
Section	07 21 00	Thermal Insulation (As Applicable)
Section	07 42 13.19	Insulated Metal Wall Panels
Section	07 53 23	Ethylene-Propylene-Diene-Monomer (EPDM) Roofing
Section	07 54 19	Polyvinyl-Chloride (PVC) Roofing
Section	07 54 23	Thermoplastic Polyolefin (TPO) Roofing
Section	07 71 00	Roof Specialties
Section	07 84 13	Penetration Firestopping (As Applicable)
Section	07 84 46	Fire-Resistive Joint Systems (As Applicable)
Section	07 92 00	Joint Sealants (As Applicable)

Clarification No. 1:

Contractors are advised that the scope of work identified as **Bid Package No. 2** is a prerequisite to **Bid Package No. 3** which will be the football field and amenities for the New Middle/High School for Hammond. The **Bid Package No. 3** work is scheduled to start about March 2020. The Guideline Schedule indicates completion of certain critical activities that contractors for **Bid Package No. 2** must accomplish. (Reference spec section 01 32 00 - Schedules and Reports). The Guideline Schedule also indicates some of the work in **Bid Package No. 4** for coordination with Bid Package No. 1, 2, and 3. All **Bid Package No. 2** contractors will be required to coordinate their work with the work associated with the future **Bid Packages** and also **Bid Package No. 1**.

Clarification No. 2:

All contractors shall subscribe to PlanGrid for use on this project. The number of users is up to the contractor. PlanGrid will be used for the current construction documentation to include, current set, addenda, SI's, As-Built Conditions, QA/QC, and Punch Lists. Visit www.PlanGrid.com to determine subscription pricing. At a minimum, onsite personnel will be required to use this product to facilitate communication. It is recommended that an office administrator assist field personnel. PlanGrid is a tool for the construction phase and will not be used for bidding.

Clarification No. 3:

Regarding Specification Sections 06 10 53 - Miscellaneous Rough Carpentry, and 06 16 00 - Sheathing; the **Bid Category No. 6 Contractor** is responsible to provide all blocking, sheathing, or backing required for roof installation including MEP curbs, roof hatches, coping, fascia, parapet, etc. shown or required on the contract documents. The **Bid Category No. 9 Contractor** is responsible to provide all wood blocking, sheathing, or backing within and/or attached to metal stud wall assemblies. The **Bid Category No. 4 Contractor** is responsible to provide wood blocking, sheathing, or backing that is attached to or within miscellaneous metals. An example of this can be found on the Structural drawings S-412.2, Framing Sections and Details. The **Bid Category No. 4 Contractor** is responsible to provide all other wood blocking, sheathing, or backing required by the contract documents.

Clarification No. 4:

Regarding Specification Section 07 92 00 - Joint Sealants; contractors are to provide Caulking in accordance with the Contract Documents. In general, the Contractor whose work creates a joint that requires caulking (in the normal sequence of work) is to provide the caulking. The **Bid Category No. 10 Contractor** shall provide caulking at all Hollow Metal Frames.

Clarification No. 5:

The **Bid Package No. 1, Bid Category No. 1 Contractor** has provided all underground utilities (sanitary sewer, storm sewer, water lines) to within 5' - 0" of the building perimeter strictly for that **Bid Package**. The **Bid Category No. 18 Contractor** is to provide cleanouts and make final connections except for the gas line. This will be the responsibility of **Bid Category No. 20**. The **Bid Category No. 18 Contractor** is to coordinate with the **Bid Category No. 6 Contractor** to make all final connection for the exterior downspouts. All excavation and backfill required to make final connections is by the **Bid Category No. 18 Contractor**.

Clarification No. 6:

Regarding Specification Section 07 21 00 - Thermal Insulation; Insulation attached to or within masonry walls is the responsibility of the **Bid Category No. 5 Contractor**. Insulation attached to or within the roofing membrane and vertical parapet walls is the responsibility of the **Bid Category No. 6 Contractor**. Insulation attached to or within metal stud walls and soffits is the responsibility of the **Bid Category No. 9 Contractor**. All other insulation included within this section is the responsibility of the **Bid Category No. 4 Contractor**.

D. BID CATEGORY NO. 7 - MISCELLANEOUS METALS

General Requirements in Paragraph 3.02.B above.

Section	01 21 00	Allowances
Section	01 54 60	Environment Protection (As Applicable)
Section	05 50 00	Metal Fabrications (As Applicable)
Section	05 51 00	Metal Stairs
Section	05 52 13	Pipe and Tube Railings
Section	07 92 00	Joint Sealants (As Applicable)

Clarification No. 1:

Contractors are advised that the scope of work identified as **Bid Package No. 2** is a prerequisite to **Bid Package No. 3** which will be the football field and amenities for the New Middle/High School for Hammond. The **Bid Package No. 3** work is scheduled to start about March 2020. The Guideline Schedule indicates completion of certain critical activities that contractors for **Bid Package No. 2** must accomplish. (Reference spec section 01 32 00 Schedules and Reports). The Guideline Schedule also indicates some of the work in **Bid Package No. 4** for coordination with Bid Package No. 1, 2, and 3. All **Bid Package No. 2** contractors will be required to coordinate their work with the work associated with the future **Bid Packages** and also **Bid Package No. 1**.

Clarification No. 2:

All contractors shall subscribe to PlanGrid for use on this project. The number of users is up to the contractor. PlanGrid will be used for the current construction documentation to include, current set, addenda, SI's, As-Built Conditions, QA/QC, and Punch Lists. Visit www.PlanGrid.com to determine subscription pricing. At a minimum, onsite personnel will be required to use this product to facilitate communication. It is recommended that an office administrator assist field personnel. PlanGrid is a tool for the construction phase and will not be used for bidding.

Clarification No. 3:

Regarding Specification Section 07 92 00 - Joint Sealants; contractors are to provide Caulking in accordance with the Contract Documents. In general, the Contractor whose work creates a joint that requires caulking (in the normal sequence of work) is to provide the caulking. The **Bid Category No. 10 Contractor** shall provide caulking at all Hollow Metal Frames.

Clarification No. 4:

The **Bid Category No. 5 Contractor** shall provide all loose steel lintels for the masonry work. The **Bid Category No. 5 Contractor** shall install the embeds, anchor bolts, and bearing plates needed for their Masonry work along with providing layout drawings shown or required by the Contract Documents, including those required for mechanical openings. The **Bid Package No. 1, Bid Category No. 3** will FURNISH the embeds, anchor bolts, and bearing plates. The **Bid Category No. 7 Contractor** shall provide all other Metal Fabrications. Contractors are advised that the Building Structural Steel has been provided by the **Bid Category No. 3 Contractor** as part of **Bid Package No. 1**.

Clarification No. 5:

Each contractor is responsible to provide adequate ventilation of equipment exhaust while working in the building specifically in the larger spaces in Units F Through L.

E. BID CATEGORY NO. 8 - ALUMINUM ENTRANCES AND GLAZING

General requirements in Paragraph 3.02.B above.

Section	01 21 00	Allowances
Section	01 54 60	Environment Protection (As Applicable)
Section	07 92 00	Joint Sealants (As Applicable)
Section	08 41 13	Aluminum-Framed Entrances and Storefronts
Section	08 41 26	All-Glass Entrances and Storefronts
Section	08 44 13	Glazed Aluminum Curtain Walls
Section	08 71 00	Door Hardware (As Applicable)
Section	08 80 00	Glazing
Section	08 83 00	Mirrors
Section	08 90 00	Louvers and Vents (As Applicable)

Clarification No. 1:

Contractors are advised that the scope of work identified as **Bid Package No. 2** is a prerequisite to **Bid Package No. 3** which will be the football field and amenities for the New Middle/High School for Hammond. The **Bid Package No. 3** work is scheduled to start about March 2020. The Guideline Schedule indicates completion of certain critical activities that contractors for **Bid Package No. 2** must accomplish. (Reference spec section 01 32 00 Schedules and Reports). The Guideline Schedule also indicates some of the work in **Bid Package No. 4** for coordination with Bid Package No. 1, 2, and 3. All **Bid Package No. 2** contractors will be required to coordinate their work with the work associated with the future **Bid Packages** and also **Bid Package No. 1**.

Clarification No. 2:

All contractors shall subscribe to PlanGrid for use on this project. The number of users is up to the contractor. PlanGrid will be used for the current construction documentation to include, current set, addenda, SI's, As-Built Conditions, QA/QC, and Punch Lists. Visit www.PlanGrid.com to determine subscription pricing. At a minimum, onsite personnel will be required to use this product to facilitate communication. It is recommended that an office administrator assist field personnel. PlanGrid is a tool for the construction phase and will not be used for bidding.

Clarification No. 3:

Regarding Specification Section 07 92 00 - Joint Sealants; contractors are to provide Caulking in accordance with the Contract Documents. In general, the Contractor whose work creates a joint that requires caulking (in the normal sequence of work) is to provide the caulking. The **Bid Category No. 10 Contractor** shall provide caulking at all Hollow Metal Frames.

Clarification No. 4:

Regarding Specification Section 08 71 00 - Door Hardware; the **Bid Category No. 4 Contractor** is to furnish the Door Hardware for the Aluminum Entrances and turn this hardware over to the **Bid Category No. 8 Contractor** for installation. The **Bid Category No. 4 Contractor** is to coordinate the turnover of the hardware to the **Bid Category No. 8 Contractor** in a timely manner to prevent any delays to the installation of the aluminum entrances for the project.

Clarification No. 5:

Regarding Specification Sections 07 84 13 - Penetration Firestopping, and 07 84 46 - Fire Resistance Joint Systems; the contractor whose work creates a condition requiring firestopping will be responsible to provide firestopping in accordance with the contract documents.

Clarification No. 6:

For construction access purposes, the 2nd, and 3rd floor windows are to be left out and installed at a later date on the north elevation of Unit A, including stopping the masonry at slab on deck elevation. The **Bid Category No. 5, 8, 9, and 10 Contractors** shall remobilize to complete this work. The **Bid Category No. 4 Contractor** shall construct a temporary enclosure with access doors and a secondary interior guardrail system to create a loading platform. All Contractors utilizing the opening are responsible to open, close, and ensure safe use while using, including safety of others working in the area. The **Bid Category No. 5 Contractor** shall provide an opening at the masonry wall in unit G along column line AQ from column lines 6 and 7. Another opening shall be provided at Unit K along column line 31 from column lines AB to AE. This will be for the **Bid Category No. 19 and 20 Contractors** to set the Mechanical Equipment and ductwork. The **Bid Category No. 5 Contractor** shall remobilize to complete the masonry work at a later date.

Clarification No. 7:

Each contractor is responsible to provide adequate ventilation of equipment exhaust while working in the building specifically in the larger spaces in Units F Through L.

F. BID CATEGORY NO. 9 - METAL STUDS/DRYWALL/ACOUSTICS

General Requirements in Paragraph 3.02.B above.

Section	01 21 00	Allowances
Section	01 52 60	Rubbish Container (As Applicable)
Section	01 54 60	Environment Protection (As Applicable)
Section	05 40 00	Cold-Formed Metal Framing
Section	06 10 53	Miscellaneous Rough Carpentry (As Applicable)
Section	06 16 00	Sheathing (As Applicable)
Section	07 21 00	Thermal Insulation (As Applicable)
Section	07 24 13	Polymer-Based Exterior Insulation and Finish System (EIFS)
Section	07 24 19	Water-Drainage Exterior Insulation and Finish System (EIFS)
Section	07 27 13	Modified Bituminous Sheet Air Barriers (As Applicable)
Section	07 84 13	Penetration Firestopping (As Applicable)
Section	07 84 46	Fire-Resistive Joint Systems (As Applicable)
Section	07 92 00	Joint Sealants (As Applicable)
Section	07 95 00	Expansion Control (As Applicable)
Section	09 22 16	Non-Structural Metal Framing
Section	09 29 00	Gypsum Board
Section	09 51 13	Acoustical Panel Ceilings
Section	09 54 23	Linear Metal Ceilings
Section	09 81 00	Acoustical Reflectors
Section	09 83 00.99	Acoustic Finishes
Section	09 84 13.99	Acoustical Surface Treatment

Clarification No. 1:

Contractors are advised that the scope of work identified as **Bid Package No. 2** is a prerequisite to **Bid Package No. 3** which will be the football field and amenities for the New Middle/High School for Hammond. The **Bid Package No. 3** work is scheduled to start about March 2020. The Guideline Schedule indicates completion of certain critical activities that contractors for **Bid Package No. 2** must accomplish. (Reference spec section 01 32 00 Schedules and Reports). The Guideline Schedule also indicates some of the work in **Bid Package No. 4** for coordination with Bid Package No. 1, 2, and 3. All **Bid Package No. 2** contractors will be required to coordinate their work with the work associated with the future **Bid Packages** and also **Bid Package No. 1**.

Clarification No. 2:

All contractors shall subscribe to PlanGrid for use on this project. The number of users is up to the contractor. PlanGrid will be used for the current construction documentation to include, current set, addenda, SI's, As-Built Conditions, QA/QC, and Punch Lists. Visit www.PlanGrid.com to determine subscription pricing. At a minimum, onsite personnel will be required to use this product to facilitate communication. It is recommended that an office administrator assist field personnel. PlanGrid is a tool for the construction phase and will not be used for bidding.

Clarification No. 3:

Regarding Specification Sections 06 10 53 - Miscellaneous Rough Carpentry, and 06 16 00 - Sheathing; the **Bid Category No. 6 Contractor** is responsible to provide all blocking, sheathing, or backing required for roof installation including MEP curbs, roof hatches, coping, fascia, parapet, etc. shown or required on the contract documents. The **Bid Category No. 9 Contractor** is responsible to provide all wood blocking, sheathing, or backing within and/or attached to metal stud wall assemblies. The **Bid Category No. 4 Contractor** is responsible to provide wood blocking, sheathing, or backing that is attached to or within miscellaneous metals. An example of this can be found on the Structural drawings S-412.2, Framing Sections and Details. The **Bid Category No. 4 Contractor** is responsible to provide all other wood blocking, sheathing, or backing required by the contract documents.

Clarification No. 4:

Regarding Specification Section 07 92 00 - Joint Sealants; contractors are to provide Caulking in accordance with the Contract Documents. In general, the Contractor whose work creates a joint that requires caulking (in the normal sequence of work) is to provide the caulking. The **Bid Category No. 10 Contractor** shall provide caulking at all Hollow Metal Frames.

Clarification No. 5:

The **Bid Category No. 9 Contractor** is to include his bid 300 man-hours for ceiling tile replacement (or other work) to be performed by a skilled carpenter at the direction of the Construction Manager. At the end of the project, unused hours will be converted into a dollar amount and returned to the Owner as a deduct Change Order.

Clarification No. 6:

For construction access purposes, the 2nd, and 3rd floor windows are to be left out and installed at a later date on the north elevation of Unit A, including stopping the masonry at slab on deck elevation. The **Bid Category No. 5, 8, 9, and 10 Contractors** shall remobilize to complete this work. The **Bid Category No. 4 Contractor** shall construct a temporary enclosure with access doors and a secondary interior guardrail system to create a loading platform. All Contractors utilizing the opening are responsible to open, close, and ensure safe use while using, including safety of others working in the area. The **Bid Category No. 5 Contractor** shall provide an opening at the masonry wall in unit G along column line AQ from column lines 6 and 7. Another opening shall be provided at Unit K along column line 31 from column lines AB to AE. This will be for the **Bid Category No. 19 and 20 Contractors** to set the Mechanical Equipment and ductwork. The **Bid Category No. 5 Contractor** shall remobilize to complete the masonry work at a later date.

Clarification No. 7:

Regarding coordinating the installation of required penetrations, roof openings, wall openings floor openings, etc.; the Contractor whose work creates the opening or penetration is responsible for patching, repairing and sealing the opening or penetration to maintain the warranty.

Clarification No. 8:

Regarding Specification Section 07 21 00 - Thermal Insulation; Insulation attached to or within masonry walls is the responsibility of the **Bid Category No. 5 Contractor**. Insulation attached to or within the roofing membrane and vertical parapet walls is the responsibility of the **Bid Category No. 6 Contractor**. Insulation attached to or within metal stud walls and soffits is the responsibility of the **Bid Category No. 9 Contractor**. All other insulation included within this section is the responsibility of the **Bid Category No. 4 Contractor**.

Clarification No. 9:

Regarding Specification Section 07 27 13 - Modified Bituminous Sheet Air Barriers; air barriers applied to or within masonry walls is the responsibility of the **Bid Category No. 5 Contractor**. All other Bituminous Sheet Air Barriers included within this section is the responsibility of the **Bid Category No. 9 Contractor**.

Clarification No. 10:

Regarding Specification Section 08 31 13 - Access Door and Frames; **Bid Category No. 16, 17, 18, 19, 20, 21** are responsible to coordinate access doors and frames for installation purposes with the **Bid Category No. 5, and No. 9 Contractors**. Access doors and frames attached to or within masonry walls is the responsibility of the **Bid Category No. 5 Contractor**. Access doors and frames attached to or within the metal stud wall assemblies is the responsibility of the **Bid Category No. 9 Contractor**. Access doors and frames attached to or within Kitchen Equipment, MEP and FP systems are the responsibility of the **Bid Category No. 16, 17, 18, 19, 20, 21 Contractors**. All other access doors and frames included within this section is the responsibility of the **Bid Category No. 4 Contractor**.

Clarification No. 11

Regarding Specification Sections 07 84 13 - Penetration Firestopping, and 07 84 46 - Fire Resistance Joint Systems; the contractor whose work creates a condition requiring firestopping will be responsible to provide firestopping in accordance with the contract documents.

Clarification No. 12:

Each contractor is responsible to provide adequate ventilation of equipment exhaust while working in the building specifically in the larger spaces in Units F Through L.

G. BID CATEGORY NO. 10 - PAINTING & WALL COVERINGS

General Requirements in Paragraph 3.02.B above.

Section	01 21 00	Allowances
Section	01 54 60	Environment Protection (As Applicable)
Section	07 92 00	Joint Sealants (As Applicable)
Section	09 77 23	Fabric-Wrapped Panels
Section	09 91 23.99	Interior Painting
Section	09 96 00.99	High Performance Coatings

Clarification No. 1:

Contractors are advised that the scope of work identified as **Bid Package No. 2** is a prerequisite to **Bid Package No. 3** which will be the football field and amenities for the New Middle/High School for Hammond. The **Bid Package No. 3** work is scheduled to start about March 2020. The Guideline Schedule indicates completion of certain critical activities that contractors for **Bid Package No. 2** must accomplish. (Reference spec section 01 32 00 Schedules and Reports). The Guideline Schedule also indicates some of the work in **Bid Package No. 4** for coordination with Bid Package No. 1, 2, and 3. All **Bid Package No. 2** contractors will be required to coordinate their work with the work associated with the future **Bid Packages** and also **Bid Package No. 1**.

Clarification No. 2:

All contractors shall subscribe to PlanGrid for use on this project. The number of users is up to the contractor. PlanGrid will be used for the current construction documentation to include, current set, addenda, SI's, As-Built Conditions, QA/QC, and Punch Lists. Visit www.PlanGrid.com to determine subscription pricing. At a minimum, onsite personnel will be required to use this product to facilitate communication. It is recommended that an office administrator assist field personnel. PlanGrid is a tool for the construction phase and will not be used for bidding.

Clarification No. 3:

Regarding Specification Section 07 92 00 - Joint Sealants; contractors are to provide Caulking in accordance with the Contract Documents. In general, the Contractor whose work creates a joint that requires caulking (in the normal sequence of work) is to provide the caulking. The **Bid Category No. 10 Contractor** shall provide caulking at all Hollow Metal Frames.

Clarification No. 4:

For construction access purposes, the 2nd, and 3rd floor windows are to be left out and installed at a later date on the north elevation of Unit A, including stopping the masonry at slab on deck elevation. The **Bid Category No. 5, 8, 9, and 10 Contractors** shall remobilize to complete this work. The **Bid Category No. 4 Contractor** shall construct a temporary enclosure with access doors and a secondary interior guardrail system to create a loading platform. All Contractors utilizing the opening are responsible to open, close, and ensure safe use while using, including safety of others working in the area. The **Bid Category No. 5 Contractor** shall provide an opening at the masonry wall in unit G along column line AQ from column lines 6 and 7. Another opening shall be provided at Unit K along column line 31 from column lines AB to AE. This will be for the **Bid Category No. 19 and 20 Contractors** to set the Mechanical Equipment and ductwork. The **Bid Category No. 5 Contractor** shall remobilize to complete the masonry work at a later date.

Clarification No. 5:

The **Bid Category No. 10 Contractor** is to include 240 man-hours at a skilled Painter's pay rate for general touch up painting performed at the direction of the Construction Manager. At the end of the project, unused hours will be converted to a dollar amount and returned to the Owner through a deduct Change Order.

Clarification No. 6:

Each contractor is responsible to provide adequate ventilation of equipment exhaust while working in the building specifically in the larger spaces in Units F Through L.

H. BID CATEGORY NO. 11 - HARD TILE/CAPRPET/RESILIENT FLOORING

General Requirements in Paragraph 3.02.B above.

Section	01 21 00	Allowances
Section	07 92 00	Joint Sealants (As Applicable)
Section	09 30 00	Tiling
Section	09 65 13	Resilient Base and Accessories
Section	09 65 19	Resilient Tile Flooring
Section	09 68 16	Sheet Carpeting

Clarification No. 1:

Contractors are advised that the scope of work identified as **Bid Package No. 2** is a prerequisite to **Bid Package No. 3** which will be the football field and amenities for the New Middle/High School for Hammond. The **Bid Package No. 3** work is scheduled to start about March 2020. The Guideline Schedule indicates completion of certain critical activities that contractors for **Bid Package No. 2** must accomplish. (Reference spec section 01 32 00 Schedules and Reports). The Guideline Schedule also indicates some of the work in **Bid Package No. 4** for coordination with Bid Package No. 1, 2, and 3. All **Bid Package No. 2** contractors will be required to coordinate their work with the work associated with the future **Bid Packages** and also **Bid Package No. 1**.

Clarification No. 2:

All contractors shall subscribe to PlanGrid for use on this project. The number of users is up to the contractor. PlanGrid will be used for the current construction documentation to include, current set, addenda, SI's, As-Built Conditions, QA/QC, and Punch Lists. Visit www.PlanGrid.com to determine subscription pricing. At a minimum, onsite personnel will be required to use this product to facilitate communication. It is recommended that an office administrator assist field personnel. PlanGrid is a tool for the construction phase and will not be used for bidding.

Clarification No. 3:

Regarding Specification Section 07 92 00 - Joint Sealants; contractors are to provide Caulking in accordance with the Contract Documents. In general, the Contractor whose work creates a joint that requires caulking (in the normal sequence of work) is to provide the caulking. The **Bid Category No. 10 Contractor** shall provide caulking at all Hollow Metal Frames.

Clarification No. 4:

Regarding Specification Section 09 68 16 Sheet Carpeting; the Owner will FURNISH the Carpet Tile material ONLY. The **Bid Category No. 11 Contractor** is to install this material and provide all other accessories, adhesives, materials, base, etc. required to accomplish a complete system.

Clarification No. 5:

The **Bid Category No. 11 Contractor** is responsible to control all dust created while performing the work required at the Gymnasium. This includes providing temporary enclosures to separate work areas from finished areas, and to prevent penetration of dust into finished areas. The **Bid Category No. 11 Contractor** is also responsible to protect the adjacent surfaces, finishes, etc. while providing the work associated with the Flooring. Any damages to the existing surfaces will be the **Bid Category No. 11 Contractors** responsibility to repair at no additional cost to the Owner.

I. BID CATEGORY NO. 12 - WOOD SPORT FLOORING

General Requirements in Paragraph 3.02.B above.

Section	07 92 00	Joint Sealants (As Applicable)
Section	09 62 00	Wood Flooring
Section	09 64 66	Wood Athletic Flooring

Clarification No. 1:

Contractors are advised that the scope of work identified as **Bid Package No. 2** is a prerequisite to **Bid Package No. 3** which will be the football field and amenities for the New Middle/High School for Hammond. The **Bid Package No. 3** work is scheduled to start about March 2020. The Guideline Schedule indicates completion of certain critical activities that contractors for **Bid Package No. 2** must accomplish. (Reference spec section 01 32 00 Schedules and Reports). The Guideline Schedule also indicates some of the work in **Bid Package No. 4** for coordination with Bid Package No. 1, 2, and 3. All **Bid Package No. 2** contractors will be required to coordinate their work with the work associated with the future **Bid Packages** and also **Bid Package No. 1**.

Clarification No. 2:

All contractors shall subscribe to PlanGrid for use on this project. The number of users is up to the contractor. PlanGrid will be used for the current construction documentation to include, current set, addenda, SI's, As-Built Conditions, QA/QC, and Punch Lists. Visit www.PlanGrid.com to determine subscription pricing. At a minimum, onsite personnel will be required to use this product to facilitate communication. It is recommended that an office administrator assist field personnel. PlanGrid is a tool for the construction phase and will not be used for bidding.

Clarification No. 3:

Regarding Specification Section 07 92 00 - Joint Sealants; contractors are to provide Caulking in accordance with the Contract Documents. In general, the Contractor whose work creates a joint that requires caulking (in the normal sequence of work) is to provide the caulking. The **Bid Category No. 10 Contractor** shall provide caulking at all Hollow Metal Frames.

Clarification No. 4:

The Bid Category No. 12 Contractor is responsible to control all dust created while performing the work required at the Gymnasium. This includes providing temporary enclosures to separate work areas from finished areas, and to prevent penetration of dust into finished areas. **The Bid Category No. 12 Contractor** is also responsible to protect the adjacent surfaces, finishes, etc. while providing the work associated with the Flooring. Any damages to the existing surfaces will be the **Bid Category No. 12 Contractors** responsibility to repair at no additional cost to the Owner.

J. BID CATEGORY NO. 13 - RESINOUS AND SPORT RESILIENT FLOORING

General Requirements in Paragraph 3.02.B above.

Section	07 92 00	Joint Sealants (As Applicable)
Section	09 65 66	Resilient Athletic Flooring
Section	09 67 23.13	Resinous Flooring - Level 1
Section	09 67 23.17	Resinous Flooring - Level 3

Clarification No. 1:

Contractors are advised that the scope of work identified as **Bid Package No. 2** is a prerequisite to **Bid Package No. 3** which will be the football field and amenities for the New Middle/High School for Hammond. The **Bid Package No. 3** work is scheduled to start about March 2020. The Guideline Schedule indicates completion of certain critical activities that contractors for **Bid Package No. 2** must accomplish. (Reference spec section 01 32 00 Schedules and Reports). The Guideline Schedule also indicates some of the work in **Bid Package No. 4** for coordination with Bid Package No. 1, 2, and 3. All **Bid Package No. 2** contractors will be required to coordinate their work with the work associated with the future **Bid Packages** and also **Bid Package No. 1**.

Clarification No. 2:

All contractors shall subscribe to PlanGrid for use on this project. The number of users is up to the contractor. PlanGrid will be used for the current construction documentation to include, current set, addenda, SI's, As-Built Conditions, QA/QC, and Punch Lists. Visit www.PlanGrid.com to determine subscription pricing. At a minimum, onsite personnel will be required to use this product to facilitate communication. It is recommended that an office administrator assist field personnel. PlanGrid is a tool for the construction phase and will not be used for bidding.

Clarification No. 3:

Regarding Specification Section 07 92 00 - Joint Sealants; contractors are to provide Caulking in accordance with the Contract Documents. In general, the Contractor whose work creates a joint that requires caulking (in the normal sequence of work) is to provide the caulking. The **Bid Category No. 10 Contractor** shall provide caulking at all Hollow Metal Frames.

Clarification No. 4:

The Bid Category No. 13 Contractor is responsible to control all dust created while performing the work required at the Gymnasium. This includes providing temporary enclosures to separate work areas from finished areas, and to prevent penetration of dust into finished areas. **The Bid Category No. 13 Contractor** is also responsible to protect the adjacent surfaces, finishes, etc. while providing the work associated with the Flooring. Any damages to the existing surfaces will be the **Bid Category No. 13 Contractors** responsibility to repair at no additional cost to the Owner.

K. BID CATEGORY NO. 14 - CASEWORK

General Requirements in Paragraph 3.02.B above.

Section	01 21 00	Allowances
Section	07 92 00	Joint Sealants (As Applicable)
Section	11 53 13	Laboratory Fume Hoods
Section	12 32 00	Manufactured Wood Casework
Section	12 35 40.99	Musical Instrument & Robe Cabinet System
Section	12 35 53	Laboratory Casework

Clarification No. 1:

Contractors are advised that the scope of work identified as **Bid Package No. 2** is a prerequisite to **Bid Package No. 3** which will be the football field and amenities for the New Middle/High School for Hammond. The **Bid Package No. 3** work is scheduled to start about March 2020. The Guideline Schedule indicates completion of certain critical activities that contractors for **Bid Package No. 2** must accomplish. (Reference spec section 01 32 00 Schedules and Reports). The Guideline Schedule also indicates some of the work in **Bid Package No. 4** for coordination with Bid Package No. 1, 2, and 3. All **Bid Package No. 2** contractors will be required to coordinate their work with the work associated with the future **Bid Packages** and also **Bid Package No. 1**.

Clarification No. 2:

All contractors shall subscribe to PlanGrid for use on this project. The number of users is up to the contractor. PlanGrid will be used for the current construction documentation to include, current set, addenda, SI's, As-Built Conditions, QA/QC, and Punch Lists. Visit www.PlanGrid.com to determine subscription pricing. At a minimum, onsite personnel will be required to use this product to facilitate communication. It is recommended that an office administrator assist field personnel. PlanGrid is a tool for the construction phase and will not be used for bidding.

Clarification No. 3:

Regarding Specification Section 07 92 00 - Joint Sealants; contractors are to provide Caulking in accordance with the Contract Documents. In general, the Contractor whose work creates a joint that requires caulking (in the normal sequence of work) is to provide the caulking. The **Bid Category No. 10 Contractor** shall provide caulking at all Hollow Metal Frames.

L. BID CATEGORY NO. 15 - TELESCOPING STANDS

General Requirements in Paragraph 3.02.B above.

Section	07 92 00	Joint Sealants (As Applicable)
Section	12 61 10.99	Telescoping Chair Platform and Seating
Section	12 66 00	Telescoping Stands

Clarification No. 1:

Contractors are advised that the scope of work identified as **Bid Package No. 2** is a prerequisite to **Bid Package No. 3** which will be the football field and amenities for the New Middle/High School for Hammond. The **Bid Package No. 3** work is scheduled to start about March 2020. The Guideline Schedule indicates completion of certain critical activities that contractors for **Bid Package No. 2** must accomplish. (Reference spec section 01 32 00 Schedules and Reports). The Guideline Schedule also indicates some of the work in **Bid Package No. 4** for coordination with Bid Package No. 1, 2, and 3. All **Bid Package No. 2** contractors will be required to coordinate their work with the work associated with the future **Bid Packages** and also **Bid Package No. 1**.

Clarification No. 2:

All contractors shall subscribe to PlanGrid for use on this project. The number of users is up to the contractor. PlanGrid will be used for the current construction documentation to include, current set, addenda, SI's, As-Built Conditions, QA/QC, and Punch Lists. Visit www.PlanGrid.com to determine subscription pricing. At a minimum, onsite personnel will be required to use this product to facilitate communication. It is recommended that an office administrator assist field personnel. PlanGrid is a tool for the construction phase and will not be used for bidding.

Clarification No. 3:

Regarding Specification Section 07 92 00 - Joint Sealants; contractors are to provide Caulking in accordance with the Contract Documents. In general, the Contractor whose work creates a joint that requires caulking (in the normal sequence of work) is to provide the caulking. The **Bid Category No. 10 Contractor** shall provide caulking at all Hollow Metal Frames.

M. BID CATEGORY NO. 16 - FOOD FACILITY EQUIPMENT

General Requirements in Paragraph 3.02.B above.

Section	01 21 00	Allowances
Section	01 54 60	Environment Protection (As Applicable)
Section	03 30 00	Cast-In-Place Concrete (As Applicable)
Section	07 84 13	Penetration Firestopping (As Applicable)
Section	07 84 46	Fire-Resistive Joint Systems (As Applicable)
Section	07 92 00	Joint Sealants (As Applicable)
Section	08 31 13	Access Doors and Frames (As Applicable)
Section	11 40 00	Food Facility Equipment

Clarification No. 1:

Contractors are advised that the scope of work identified as **Bid Package No. 2** is a prerequisite to **Bid Package No. 3** which will be the football field and amenities for the New Middle/High School for Hammond. The **Bid Package No. 3** work is scheduled to start about March 2020. The Guideline Schedule indicates completion of certain critical activities that contractors for **Bid Package No. 2** must accomplish. (Reference spec section 01 32 00 Schedules and Reports). The Guideline Schedule also indicates some of the work in **Bid Package No. 4** for coordination with Bid Package No. 1, 2, and 3. All **Bid Package No. 2** contractors will be required to coordinate their work with the work associated with the future **Bid Packages** and also **Bid Package No. 1**.

Clarification No. 2:

All contractors shall subscribe to PlanGrid for use on this project. The number of users is up to the contractor. PlanGrid will be used for the current construction documentation to include, current set, addenda, SI's, As-Built Conditions, QA/QC, and Punch Lists. Visit www.PlanGrid.com to determine subscription pricing. At a minimum, onsite personnel will be required to use this product to facilitate communication. It is recommended that an office administrator assist field personnel. PlanGrid is a tool for the construction phase and will not be used for bidding.

Clarification No. 3:

Regarding Specification Section 11 40 00 - Food Facility Equipment; any reference in the specifications and/or drawings to "GD-General Division or General Contractor" is the responsibility of the Bid Category No. 4 Contractor. Any reference in the specifications and/ or drawings to "FPD - Fire Protection Division or Fire Protection Contractor" is the responsibility of the Bid Category No. 17 Contractor. Any reference in the specifications and/ or drawings to "PD - Plumbing Division or Plumbing Contractor" is the responsibility of the Bid Category No. 18 Contractor. Any reference in the specifications and/ or drawings to "Sheet Metal/Ventilation Division or Sheet Metal Contractor" is the responsibility of the Bid Category No. 19 Contractor. Any reference in the specifications and/ or drawings to "MD - Mechanical Division or Mechanical Contractor" is the responsibility of the Bid Category No. 20 Contractor. Any reference in the specifications and/or drawings to "ED- Electrical Division or Electrical Contractor" is the responsibility of the Bid Category No. 21 Contractor.

Clarification No.4:

Regarding Specification Section 07 92 00 - Joint Sealants; contractors are to provide Caulking in accordance with the Contract Documents. In general, the Contractor whose work creates a joint that requires caulking (in the normal sequence of work) is to provide the caulking. The **Bid Category No. 10 Contractor** shall provide caulking at all Hollow Metal Frames.

Clarification No. 5:

Regarding coordinating the installation of required penetrations, roof openings, wall openings floor openings, etc.; the Contractor whose work creates the opening or penetration is responsible for patching, repairing and sealing the opening or penetration to maintain the warranty.

Clarification No. 6

Regarding Specification Sections 07 84 13 - Penetration Firestopping, and 07 84 46 - Fire Resistance Joint Systems; the contractor whose work creates a condition requiring firestopping will be responsible to provide firestopping in accordance with the contract documents.

Clarification No. 7:

Regarding Specification Section 08 31 13 - Access Door and Frames; **Bid Category No. 16, 17, 18, 19, 20, 21** are responsible to coordinate access doors and frames for installation purposes with the **Bid Category No. 5, and No. 9 Contractors**. Access doors and frames attached to or within masonry walls is the responsibility of the **Bid Category No. 5 Contractor**. Access doors and frames attached to or within the metal stud wall assemblies is the responsibility of the **Bid Category No. 9 Contractor**. Access doors and frames attached to or within Kitchen Equipment, MEP and FP systems are the responsibility of the **Bid Category No. 16, 17, 18, 19, 20, 21 Contractors**. All other access doors and frames included within this section is the responsibility of the **Bid Category No. 4 Contractor**.

N. BID CATEGORY NO. 17 - FIRE PROTECTION

General Requirements in Paragraph 3.02.B above.

Section	01 21 00	Allowances
Section	01 54 60	Environment Protection (As Applicable)
Section	03 30 00	Cast-In-Place Concrete (As Applicable)
Section	07 92 00	Joint Sealants (As Applicable)
Section	08 31 13	Access Doors and Frames (As Applicable)
Section	21 10 00	Water-Based Fire Suppression Systems
Section	21 31 13	Electric Drive Centrifugal Fire Pumps

Clarification No. 1:

Contractors are advised that the scope of work identified as **Bid Package No. 2** is a prerequisite to **Bid Package No. 3** which will be the football field and amenities for the New Middle/High School for Hammond. The **Bid Package No. 3** work is scheduled to start about March 2020. The Guideline Schedule indicates completion of certain critical activities that contractors for **Bid Package No. 2** must accomplish. (Reference spec section 01 32 00 Schedules and Reports). The Guideline Schedule also indicates some of the work in **Bid Package No. 4** for coordination with Bid Package No. 1, 2, and 3. All **Bid Package No. 2** contractors will be required to coordinate their work with the work associated with the future **Bid Packages** and also **Bid Package No. 1**.

Clarification No. 2:

All contractors shall subscribe to PlanGrid for use on this project. The number of users is up to the contractor. PlanGrid will be used for the current construction documentation to include, current set, addenda, SI's, As-Built Conditions, QA/QC, and Punch Lists. Visit www.PlanGrid.com to determine subscription pricing. At a minimum, onsite personnel will be required to use this product to facilitate communication. It is recommended that an office administrator assist field personnel. PlanGrid is a tool for the construction phase and will not be used for bidding.

Clarification No. 3:

Regarding Specification Section 07 92 00 - Joint Sealants; contractors are to provide Caulking in accordance with the Contract Documents. In general, the Contractor whose work creates a joint that requires caulking (in the normal sequence of work) is to provide the caulking. The **Bid Category No. 10 Contractor** shall provide caulking at all Hollow Metal Frames.

Clarification No. 4:

Regarding coordinating the installation of required penetrations, roof openings, wall openings floor openings, etc.; the Contractor whose work creates the opening or penetration is responsible for patching, repairing and sealing the opening or penetration to maintain the warranty

Clarification No. 5:

Bid Category No. 4 Contractor shall provide all of the **Bid Package No. 2** curbs, walks, housekeeping pads, and sub grade foundations. All other concrete equipment pads, curbs and housekeeping pads shown or required for mechanical, plumbing, fire protection and electrical equipment are the responsibility of the contractor providing the equipment. Concrete for light pole bases are to be provided by the **Bid Category No. 21 Contractor**.

Clarification No. 6:

Regarding Specification Section 11 40 00 - Food Facility Equipment; any reference in the specifications and/or drawings to “GD-General Division or General Contractor” is the responsibility of the **Bid Category No. 4 Contractor**. Any reference in the specifications and/ or drawings to “FPD - Fire Protection Division or Fire Protection Contractor” is the responsibility of the **Bid Category No. 17 Contractor**. Any reference in the specifications and/ or drawings to “PD - Plumbing Division or Plumbing Contractor” is the responsibility of the **Bid Category No. 18 Contractor**. Any reference in the specifications and/ or drawings to “Sheet Metal/Ventilation Division or Sheet Metal Contractor” is the responsibility of the **Bid Category No. 19 Contractor**. Any reference in the specifications and/ or drawings to “MD - Mechanical Division or Mechanical Contractor” is the responsibility of the **Bid Category No. 20 Contractor**. Any reference in the specifications and/or drawings to “ED- Electrical Division or Electrical Contractor” is the responsibility of the **Bid Category No. 21 Contractor**.

Clarification No. 7:

Regarding Specification Sections 07 84 13 - Penetration Firestopping, and 07 84 46 - Fire Resistance Joint Systems; the contractor whose work creates a condition requiring firestopping will be responsible to provide firestopping in accordance with the contract documents.

Clarification No. 8:

Regarding Specification Section 08 31 13 - Access Door and Frames; **Bid Category No. 16, 17, 18, 19, 20, 21** are responsible to coordinate access doors and frames for installation purposes with the **Bid Category No. 5, and No. 9 Contractors**. Access doors and frames attached to or within masonry walls is the responsibility of the **Bid Category No. 5 Contractor**. Access doors and frames attached to or within the metal stud wall assemblies is the responsibility of the **Bid Category No. 9 Contractor**. Access doors and frames attached to or within Kitchen Equipment, MEP and FP systems are the responsibility of the **Bid Category No. 16, 17, 18, 19, 20, 21 Contractors**. All other access doors and frames included within this section is the responsibility of the **Bid Category No. 4 Contractor**.

Clarification No. 9:

Each contractor is responsible to provide adequate ventilation of equipment exhaust while working in the building specifically in the larger spaces in Units F Through L.

O. BID CATEGORY NO. 18 - PLUMBING

General Requirements in Paragraph 3.02.B above.

Section	01 21 00	Allowances
Section	01 51 50	Temporary Water
Section	01 54 60	Environment Protection (As Applicable)
Section	01 54 80	Utility Protection (As Applicable)
Section	01 56 30	Water Control (As Applicable)
Section	01 72 00	Field Engineering
Section	03 30 00	Cast-In-Place Concrete (As Applicable)
Section	07 84 13	Penetration Firestopping (As Applicable)
Section	07 84 46	Fire-Resistive Joint Systems (As Applicable)
Section	07 92 00	Joint Sealants (As Applicable)
Section	08 31 13	Access Doors and Frames (As Applicable)
Section	22 05 00	Common Work Results for Plumbing
Section	22 05 13	Common Motor Requirements for Plumbing Equipment
Section	22 05 19	Meters and Gauges for Plumbing Piping
Section	22 05 23	General Duty Valves for Plumbing Piping
Section	22 05 29	Hangers and Supports for Plumbing Piping and Equipment
Section	22 05 53	Identification for Plumbing Piping Equipment
Section	22 07 00	Plumbing Insulation
Section	22 11 16	Domestic Water Piping
Section	22 11 19	Domestic Water Piping Specialties
Section	22 11 23	Domestic Water Pumps
Section	22 11 23.13	Domestic Booster Pumps
Section	22 13 16	Sanitary Waste and Vent Piping
Section	22 13 19	Sanitary Waste Piping Specialties
Section	22 14 13	Storm Drainage Piping
Section	22 14 23	Storm Drainage Piping Specialties
Section	22 14 29	Sump Pumps
Section	22 31 00	Domestic Water Softeners
Section	22 34 00	Fuel-Fired Water Heaters
Section	22 40 00	Plumbing Fixtures
Section	22 45 00	Emergency Plumbing Fixtures
Section	22 47 00	Drinking Fountains and Water Coolers
Section	22 66 00	Acid Resistant Waste and Vent Piping
Section	22 66 59	Laboratory Safety Device System
Section	31 10 00	Site Clearing (As Applicable)
Section	31 20 00	Earth Moving (As Applicable)
Section	31 50 00	Excavation Support and Protection (As Applicable)

Clarification No. 1:

Contractors are advised that the scope of work identified as **Bid Package No. 2** is a prerequisite to **Bid Package No. 3** which will be the football field and amenities for the New Middle/High School for Hammond. The **Bid Package No. 3** work is scheduled to start about March 2020. The Guideline Schedule indicates completion of certain critical activities that contractors for **Bid Package No. 2** must accomplish. (Reference spec section 01 32 00 Schedules and Reports). The Guideline Schedule also indicates some of the work in **Bid Package No. 4** for coordination with Bid Package No. 1, 2, and 3. All **Bid Package No. 2** contractors will be required to coordinate their work with the work associated with the future **Bid Packages** and also **Bid Package No. 1**.

Clarification No. 2:

All contractors shall subscribe to PlanGrid for use on this project. The number of users is up to the contractor. PlanGrid will be used for the current construction documentation to include, current set, addenda, SI's, As-Built Conditions, QA/QC, and Punch Lists. Visit www.PlanGrid.com to determine subscription pricing. At a minimum, onsite personnel will be required to use this product to facilitate communication. It is recommended that an office administrator assist field personnel. PlanGrid is a tool for the construction phase and will not be used for bidding.

Clarification No. 3:

Contractors are advised that a project dewatering operation is being provided by the **Bid Package No. 1, Bid Category No. 1 Contractor**. Once all of the sub base foundations have been provided and backfilled, it will be the responsibility of the **Bid Category No. 4, 18, and 21 Contractors** to provide dewatering as required to perform their scope of work without causing delays to the overall schedule. The **Bid Category No. 4 Contractor** shall be responsible to dewater the elevator pits along with the pool construction for continuation of work to occur.

Clarification No. 4:

Regarding any references to "PG" or "Plumbing Contractor" indicated on the Contract Documents, this work is the responsibility of the **Bid Category No. 18 Contractor**.

Clarification No. 5:

Regarding Specification Section 11 40 00 - Food Facility Equipment; any reference in the specifications and/or drawings to "GD-General Division or General Contractor" is the responsibility of the **Bid Category No. 4 Contractor**. Any reference in the specifications and/ or drawings to "FPD - Fire Protection Division or Fire Protection Contractor" is the responsibility of the **Bid Category No. 17 Contractor**. Any reference in the specifications and/ or drawings to "PD - Plumbing Division or Plumbing Contractor" is the responsibility of the **Bid Category No. 18 Contractor**. Any reference in the specifications and/ or drawings to "Sheet Metal/Ventilation Division or Sheet Metal Contractor" is the responsibility of the **Bid Category No. 19 Contractor**. Any reference in the specifications and/ or drawings to "MD - Mechanical Division or Mechanical Contractor" is the responsibility of the **Bid Category No. 20 Contractor**. Any reference in the specifications and/or drawings to "ED- Electrical Division or Electrical Contractor" is the responsibility of the **Bid Category No. 21 Contractor**.

Clarification No. 6

The **Bid Category No. 4, Bid Category No. 18, and Bid Category No. 21 Contractors** are responsible for the excavation and backfilling of their work in accordance with the Specifications.

Clarification No. 7:

Regarding Specification Section 07 92 00 - Joint Sealants; contractors are to provide Caulking in accordance with the Contract Documents. In general, the Contractor whose work creates a joint that requires caulking (in the normal sequence of work) is to provide the caulking. The **Bid Category No. 10 Contractor** shall provide caulking at all Hollow Metal Frames.

Clarification No. 8:

The **Bid Package No. 1, Bid Category No. 1 Contractor** has provided all underground utilities (sanitary sewer, storm sewer, water lines) to within 5' - 0" of the building perimeter strictly for that **Bid Package**. The **Bid Category No. 18 Contractor** is to provide all new utility tie ins, cleanouts and make final connections except for the gas line. This will be the responsibility of **Bid Category No. 20**. The **Bid Category No. 18 Contractor** is to coordinate with the **Bid Category No. 6 and 20 Contractors** to make all final connection for the exterior downspouts. All excavation and backfill required to make final connections are by the **Bid Category No. 18 Contractor**.

Clarification No. 9:

Each contractor is responsible to provide adequate ventilation of equipment exhaust while working in the building specifically in the larger spaces in Units F Through L.

Clarification No. 10:

Regarding coordinating the installation of required penetrations, roof openings, wall openings floor openings, etc.; the Contractor whose work creates the opening or penetration is responsible for patching, repairing and sealing the opening or penetration to maintain the warranty.

Clarification No. 11:

Regarding Specification Section 08 31 13 - Access Door and Frames; **Bid Category No. 16, 17, 18, 19, 20, 21** are responsible to coordinate access doors and frames for installation purposes with the **Bid Category No. 5, and No. 9 Contractors**. Access doors and frames attached to or within masonry walls is the responsibility of the **Bid Category No. 5 Contractor**. Access doors and frames attached to or within the metal stud wall assemblies is the responsibility of the **Bid Category No. 9 Contractor**. Access doors and frames attached to or within Kitchen Equipment, MEP and FP systems are the responsibility of the **Bid Category No. 16, 17, 18, 19, 20, 21 Contractors**. All other access doors and frames included within this section is the responsibility of the **Bid Category No. 4 Contractor**.

Clarification No. 12:

The **Bid Category No. 18 Contractor** shall be responsible for the excavation, backfilling and marking final locations of the work associate with the underground copper water lines for future work. The **Bid Category No. 18 Contractor** shall also be responsible for the work associated with note numbers 1 thru 5 as indicated on sheet CU101.2, and CU102.2 - Site Utility Plans. The **Bid Category No. 21 Contractor** shall be responsible for the work associated with the conduits for future electrical/ technology work as indicated on sheet CU101.2, and CU102.2 - Site Utility Plans.

Clarification No. 13:

Regarding Specification Sections 07 84 13 - Penetration Firestopping, and 07 84 46 - Fire Resistance Joint Systems; the contractor whose work creates a condition requiring firestopping will be responsible to provide firestopping in accordance with the contract documents.

Clarification No. 14:

Bid Category No. 4 Contractor shall provide all of the **Bid Package No. 2** curbs, walks, housekeeping pads, and sub grade foundations. All other concrete equipment pads, curbs and housekeeping pads shown or required for mechanical, plumbing, fire protection and electrical equipment are the responsibility of the contractor providing the equipment. Concrete for light pole bases are to be provided by the **Bid Category No. 21 Contractor**.

P. BID CATEGORY NO. 19 - SHEET METAL/VENTILATION

General Requirements in Paragraph 3.02.B above.

Section	01 21 00	Allowances
Section	01 51 30	Temporary Heating, Ventilation, and Cooling (As Applicable)
Section	01 54 60	Environment Protection (As Applicable)
Section	07 84 13	Penetration Firestopping (As Applicable)
Section	07 84 46	Fire-Resistive Joint Systems (As Applicable)
Section	07 92 00	Joint Sealants (As Applicable)
Section	08 31 13	Access Doors and Frames (As Applicable)
Section	08 90 00	Louvers and Vents (As Applicable)
Section	23 05 00	Common Work Results for HVAC (As Applicable)
Section	23 05 13	Common Motor Requirements for HVAC Equipment (As Applicable)
Section	23 07 13	Duct Insulation
Section	23 31 13	Metal Ducts
Section	23 33 00	Air Duct Accessories
Section	23 34 23	HVAC Power Ventilators
Section	23 34 33	Air Curtains
Section	23 36 00	Air Terminal Units
Section	23 37 13.99	Diffusers, Registers, and Grilles
Section	23 37 23	HVAC Gravity Ventilators
Section	23 51 00	Breechings, Chimneys, and Stacks

Clarification No. 1:

Contractors are advised that the scope of work identified as **Bid Package No. 2** is a prerequisite to **Bid Package No. 3** which will be the football field and amenities for the New Middle/High School for Hammond. The **Bid Package No. 3** work is scheduled to start about March 2020. The Guideline Schedule indicates completion of certain critical activities that contractors for **Bid Package No. 2** must accomplish. (Reference spec section 01 32 00 Schedules and Reports). The Guideline Schedule also indicates some of the work in **Bid Package No. 4** for coordination with Bid Package No. 1, 2, and 3. All **Bid Package No. 2** contractors will be required to coordinate their work with the work associated with the future **Bid Packages** and also **Bid Package No. 1**.

Clarification No. 2:

All contractors shall subscribe to PlanGrid for use on this project. The number of users is up to the contractor. PlanGrid will be used for the current construction documentation to include, current set, addenda, SI's, As-Built Conditions, QA/QC, and Punch Lists. Visit www.PlanGrid.com to determine subscription pricing. At a minimum, onsite personnel will be required to use this product to facilitate communication. It is recommended that an office administrator assist field personnel. PlanGrid is a tool for the construction phase and will not be used for bidding.

Clarification No. 3:

Regarding Specification Section 07 92 00 - Joint Sealants; contractors are to provide Caulking in accordance with the Contract Documents. In general, the Contractor whose work creates a joint that requires caulking (in the normal sequence of work) is to provide the caulking. The **Bid Category No. 10 Contractor** shall provide caulking at all Hollow Metal Frames.

Clarification No. 4:

For construction access purposes, the 2nd, and 3rd floor windows are to be left out and installed at a later date on the north elevation of Unit A, including stopping the masonry at slab on deck elevation. The **Bid Category No. 5, 8, 9, and 10 Contractors** shall remobilize to complete this work. The **Bid Category No. 4 Contractor** shall construct a temporary enclosure with access doors and a secondary interior guardrail system to create a loading platform. All Contractors utilizing the opening are responsible to open, close, and ensure safe use while using, including safety of others working in the area. The **Bid Category No. 5 Contractor** shall provide an opening at the masonry wall in unit G along column line AQ from column lines 6 and 7. Another opening shall be provided at Unit K along column line 31 from column lines AB to AE. This will be for the **Bid Category No. 19 and 20 Contractors** to set the Mechanical Equipment and ductwork. The **Bid Category No. 5 Contractor** shall remobilize to complete the masonry work at a later date.

Clarification No. 5:

Regarding coordinating the installation of required penetrations, roof openings, wall openings floor openings, etc.; the Contractor whose work creates the opening or penetration is responsible for patching, repairing and sealing the opening or penetration to maintain the warranty.

Clarification No. 6:

Regarding Specification Section 08 31 13 - Access Door and Frames; **Bid Category No. 16, 17, 18, 19, 20, 21** are responsible to coordinate access doors and frames for installation purposes with the **Bid Category No. 5, and No. 9 Contractors**. Access doors and frames attached to or within masonry walls is the responsibility of the **Bid Category No. 5 Contractor**. Access doors and frames attached to or within the metal stud wall assemblies is the responsibility of the **Bid Category No. 9 Contractor**. Access doors and frames attached to or within Kitchen Equipment, MEP and FP systems are the responsibility of the **Bid Category No. 16, 17, 18, 19, 20, 21 Contractors**. All other access doors and frames included within this section is the responsibility of the **Bid Category No. 4 Contractor**.

Clarification No. 7:

Regarding Specification Sections 07 84 13 - Penetration Firestopping, and 07 84 46 - Fire Resistance Joint Systems; the contractor whose work creates a condition requiring firestopping will be responsible to provide firestopping in accordance with the contract documents.

Clarification No. 8:

Regarding Specification Section 11 40 00 - Food Facility Equipment; any reference in the specifications and/or drawings to “GD-General Division or General Contractor” is the responsibility of the **Bid Category No. 4 Contractor**. Any reference in the specifications and/ or drawings to “FPD - Fire Protection Division or Fire Protection Contractor” is the responsibility of the **Bid Category No. 17 Contractor**. Any reference in the specifications and/ or drawings to “PD - Plumbing Division or Plumbing Contractor” is the responsibility of the **Bid Category No. 18 Contractor**. Any reference in the specifications and/ or drawings to “Sheet Metal/Ventilation Division or Sheet Metal Contractor” is the responsibility of the **Bid Category No. 19 Contractor**. Any reference in the specifications and/ or drawings to “MD - Mechanical Division or Mechanical Contractor” is the responsibility of the **Bid Category No. 20 Contractor**. Any reference in the specifications and/or drawings to “ED- Electrical Division or Electrical Contractor” is the responsibility of the **Bid Category No. 21 Contractor**.

Clarification No. 9:

Each contractor is responsible to provide adequate ventilation of equipment exhaust while working in the building specifically in the larger spaces in Units F Through L.

Q. BID CATEGORY NO. 20 - MECHANICAL

General Requirements in Paragraph 3.02.B above.

Section	01 21 00	Allowances
Section	01 51 30	Temporary Heating, Ventilation, and Cooling (As Applicable)
Section	01 54 60	Environment Protection (As Applicable)
Section	03 30 00	Cast-In-Place Concrete (As Applicable)
Section	07 84 13	Penetration Firestopping (As Applicable)
Section	07 84 46	Fire-Resistive Joint Sealants (As Applicable)
Section	07 92 00	Joint Sealants (As Applicable)
Section	08 31 13	Access Doors and Frames (As Applicable)
Section	23 05 00	Common Work Results for HVAC
Section	23 05 13	Common Motor Requirements for HVAC Equipment
Section	23 05 16	Expansion Fittings and Loops for HVAC Piping
Section	23 05 23	General-Duty Valves for HVAC Piping
Section	23 05 29	Hangers and Supports for HVAC Piping and Equipment
Section	23 05 48	Vibration and Seismic Controls for HVAC Piping and Equipment
Section	23 05 53	Identification for HVAC Piping and Equipment
Section	23 07 16	HVAC Equipment Insulation
Section	23 07 19	HVAC Piping Insulation
Section	23 09 00.99	Instrumentation and Control for HVAC
Section	23 11 23	Facility Natural Gas Piping
Section	23 21 13	Hydronic Piping
Section	23 21 16	Hydronic Piping Specialties
Section	23 21 23	Hydronic Pumps
Section	23 23 00	Refrigerant Piping
Section	23 25 13	Water Treatment for Closed-Loop Hydronic Systems
Section	23 52 16	Condensing Boilers
Section	23 57 00	Heat Exchangers for HVAC
Section	23 64 26.21	Air-Cooled, Rotary-Screw Water Chillers
Section	23 73 13	Modular Indoor Central-Station Air-Handling Units
Section	23 81 26	Split-System Air-Conditioners
Section	23 82 16.11	Hydronic Air Coils
Section	23 82 19	Fan Coil Units
Section	23 82 23.98	Vertical Unit Ventilators
Section	23 82 39	Unit Heaters
Section	23 82 39.16	Propeller Unit Heaters
Section	23 84 19.97	Hydronic Natatorium Dehumidification Unit

Clarification No. 1:

Contractors are advised that the scope of work identified as **Bid Package No. 2** is a prerequisite to **Bid Package No. 3** which will be the football field and amenities for the New Middle/High School for Hammond. The **Bid Package No. 3** work is scheduled to start about March 2020. The Guideline Schedule indicates completion of certain critical activities that contractors for **Bid Package No. 2** must accomplish. (Reference spec section 01 32 00 Schedules and Reports). The Guideline Schedule also indicates some of the work in **Bid Package No. 4** for coordination with Bid Package No. 1, 2, and 3. All **Bid Package No. 2** contractors will be required to coordinate their work with the work associated with the future **Bid Packages** and also **Bid Package No. 1**.

Clarification No. 2:

All contractors shall subscribe to PlanGrid for use on this project. The number of users is up to the contractor. PlanGrid will be used for the current construction documentation to include, current set, addenda, SI's, As-Built Conditions, QA/QC, and Punch Lists. Visit www.PlanGrid.com to determine subscription pricing. At a minimum, onsite personnel will be required to use this product to facilitate communication. It is recommended that an office administrator assist field personnel. PlanGrid is a tool for the construction phase and will not be used for bidding.

Clarification No. 3:

Regarding any references to "MC" or "Mechanical Contractor" indicated on the Contract Documents, this work is the responsibility of the **Bid Category No. 20 Contractor**.

Clarification No. 4:

Each contractor is responsible to provide adequate ventilation of equipment exhaust while working in the building specifically in the larger spaces in Units F Through L.

Clarification No. 5:

Regarding Specification Section 11 40 00 - Food Facility Equipment; any reference in the specifications and/or drawings to "GD-General Division or General Contractor" is the responsibility of the **Bid Category No. 4 Contractor**. Any reference in the specifications and/ or drawings to "FPD - Fire Protection Division or Fire Protection Contractor" is the responsibility of the **Bid Category No. 17 Contractor**. Any reference in the specifications and/ or drawings to "PD - Plumbing Division or Plumbing Contractor" is the responsibility of the **Bid Category No. 18 Contractor**. Any reference in the specifications and/ or drawings to "Sheet Metal/Ventilation Division or Sheet Metal Contractor" is the responsibility of the **Bid Category No. 19 Contractor**. Any reference in the specifications and/ or drawings to "MD - Mechanical Division or Mechanical Contractor" is the responsibility of the **Bid Category No. 20 Contractor**. Any reference in the specifications and/or drawings to "ED- Electrical Division or Electrical Contractor" is the responsibility of the **Bid Category No. 21 Contractor**.

Clarification No. 6:

Regarding Specification Section 07 92 00 - Joint Sealants; contractors are to provide Caulking in accordance with the Contract Documents. In general, the Contractor whose work creates a joint that requires caulking (in the normal sequence of work) is to provide the caulking. The **Bid Category No. 10 Contractor** shall provide caulking at all Hollow Metal Frames.

Clarification No. 7:

The **Bid Package No. 1, Bid Category No. 1 Contractor** has provided all underground utilities (sanitary sewer, storm sewer, water lines) to within 5' - 0" of the building perimeter strictly for that **Bid Package**. The **Bid Category No. 18 Contractor** is to provide all new utility tie ins, cleanouts and make final connections except for the gas line. This will be the responsibility of **Bid Category No. 20**.

The **Bid Category No. 18 Contractor** is to coordinate with the **Bid Category No. 6 and 20 Contractors** to make all final connection for the exterior downspouts. All excavation and backfill required to make final connections are by the **Bid Category No. 18 Contractor**.

Clarification No. 8:

Regarding Specification Sections 07 84 13 - Penetration Firestopping, and 07 84 46 - Fire Resistance Joint Systems; the contractor whose work creates a condition requiring firestopping will be responsible to provide firestopping in accordance with the contract documents.

Clarification No. 9:

Regarding coordinating the installation of required penetrations, roof openings, wall openings floor openings, etc.; the Contractor whose work creates the opening or penetration is responsible for patching, repairing and sealing the opening or penetration to maintain the warranty.

Clarification No. 10:

Regarding Specification Section 08 31 13 - Access Door and Frames; **Bid Category No. 16, 17, 18, 19, 20, 21** are responsible to coordinate access doors and frames for installation purposes with the **Bid Category No. 5, and No. 9 Contractors**. Access doors and frames attached to or within masonry walls is the responsibility of the **Bid Category No. 5 Contractor**. Access doors and frames attached to or within the metal stud wall assemblies is the responsibility of the **Bid Category No. 9 Contractor**. Access doors and frames attached to or within Kitchen Equipment, MEP and FP systems are the responsibility of the **Bid Category No. 16, 17, 18, 19, 20, 21 Contractors**. All other access doors and frames included within this section is the responsibility of the **Bid Category No. 4 Contractor**.

Clarification No. 11:

Bid Category No. 4 Contractor shall provide all of the **Bid Package No. 2** curbs, walks, housekeeping pads, and sub grade foundations. All other concrete equipment pads, curbs and housekeeping pads shown or required for mechanical, plumbing, fire protection and electrical equipment are the responsibility of the contractor providing the equipment. Concrete for light pole bases are to be provided by the **Bid Category No. 21 Contractor**.

Clarification No. 12:

For construction access purposes, the 2nd, and 3rd floor windows are to be left out and installed at a later date on the north elevation of Unit A, including stopping the masonry at slab on deck elevation. The **Bid Category No. 5, 8, 9, and 10 Contractors** shall remobilize to complete this work. The **Bid Category No. 4 Contractor** shall construct a temporary enclosure with access doors and a secondary interior guardrail system to create a loading platform. All Contractors utilizing the opening are responsible to open, close, and ensure safe use while using, including safety of others working in the area. The **Bid Category No. 5 Contractor** shall provide an opening at the masonry wall in unit G along column line AQ from column lines 6 and 7. Another opening shall be provided at Unit K along column line 31 from column lines AB to AE. This will be for the **Bid Category No. 19 and 20 Contractors** to set the Mechanical Equipment and ductwork. The **Bid Category No. 5 Contractor** shall remobilize to complete the masonry work at a later date.

R. BID CATEGORY NO. 21 - ELECTRICAL/TECHNOLOGY

General Requirements in Paragraph 3.02.B above.

Section	01 21 00	Allowances
Section	01 51 10	Temporary Electricity, Lighting, and Warning Systems
Section	01 54 60	Environment Protection (As Applicable)
Section	01 56 30	Water Control (As Applicable)
Section	03 30 00	Cast-In-Place Concrete (As Applicable)
Section	07 84 13	Penetration Firestopping (As Applicable)
Section	07 84 46	Fire-Resistive Joint Systems (As Applicable)
Section	07 92 00	Joint Sealants (As Applicable)
Section	08 31 13	Access Doors and Frames (As Applicable)
Section	13 15 20	Competition Pool Scoring and Timing System
Section	26 05 00	Common Work Results for Electrical
Section	26 05 19	Low-Voltage Electrical Power Conductors and Cables
Section	26 05 26	Grounding and Bonding for Electrical Systems
Section	26 05 29	Hangers and Supports for Electrical Systems
Section	26 05 33	Raceways and Boxes for Electrical Systems
Section	26 05 43	Underground Ducts and Raceways for Electrical Systems
Section	26 05 44	Sleeves and Sleeve Seals for Electrical Raceways and Cabling
Section	26 05 53	Identification for Electrical Systems
Section	26 05 74.99	Short-Circuit/Coordination Study/Arc Flash Risk Assessment
Section	26 09 23	Lighting Control Devices
Section	26 22 13	Low-Voltage Distribution Transformers
Section	26 24 13	Switchboards
Section	26 24 16	Panelboards
Section	26 27 26	Wiring Devices
Section	26 28 13	Fuses
Section	26 28 16	Enclosed Switches and Circuit Breakers
Section	26 29 13	Enclosed Controllers
Section	26 29 23	Variable-Frequency Motor Controllers
Section	26 32 13	Engine Generators
Section	26 36 00	Transfer Switches
Section	26 51 19	LED Interior Lighting
Section	26 52 13	Emergency and Exit Lighting
Section	26 55 61	Stage Lighting and Controls
Section	26 56 13	Lighting Poles and Standards
Section	26 56 19	LED Exterior Lighting
Section	27 05 28	Pathways for Communications Systems
Section	27 11 00	Communications Equipment Room Fittings
Section	27 13 00	Communications Backbone Cabling
Section	27 15 13	Communications Copper Horizontal Cabling
Section	27 17 00.99	Telecommunications Grounding and Bonding
Section	27 17 50.99	Communications Entrance Conduits

Section	28 46 21	Addressable Fire-Alarm Systems
Section	31 10 00	Site Clearing (As Applicable)
Section	31 12 00	Earth Moving (As Applicable)
Section	31 50 00	Excavation Support and Protection (As Applicable)

Clarification No. 1:

Contractors are advised that the scope of work identified as **Bid Package No. 2** is a prerequisite to **Bid Package No. 3** which will be the football field and amenities for the New Middle/High School for Hammond. The **Bid Package No. 3** work is scheduled to start about March 2020. The Guideline Schedule indicates completion of certain critical activities that contractors for **Bid Package No. 2** must accomplish. (Reference spec section 01 32 00 Schedules and Reports). The Guideline Schedule also indicates some of the work in **Bid Package No. 4** for coordination with Bid Package No. 1, 2, and 3. All **Bid Package No. 2** contractors will be required to coordinate their work with the work associated with the future **Bid Packages** and also **Bid Package No. 1**.

Clarification No. 2:

All contractors shall subscribe to PlanGrid for use on this project. The number of users is up to the contractor. PlanGrid will be used for the current construction documentation to include, current set, addenda, SI's, As-Built Conditions, QA/QC, and Punch Lists. Visit www.PlanGrid.com to determine subscription pricing. At a minimum, onsite personnel will be required to use this product to facilitate communication. It is recommended that an office administrator assist field personnel. PlanGrid is a tool for the construction phase and will not be used for bidding.

Clarification No. 3:

Contractors are advised that a project dewatering operation is being provided by the **Bid Package No. 1, Bid Category No. 1 Contractor**. Once all of the sub base foundations have been provided and backfilled, it will be the responsibility of the **Bid Category No. 4, 18, and 21 Contractors** to provide dewatering as required to perform their scope of work without causing delays to the overall schedule. The **Bid Category No. 4 Contractor** shall be responsible to dewater the elevator pits along with the pool construction for continuation of work to occur.

Clarification No. 4:

Regarding any references to "EC" or "Electrical Contractor" indicated on the Contract Documents, this work is the responsibility of the **Bid Category No. 21 Contractor**.

Clarification No. 5:

The **Bid Category No. 4, Bid Category No. 18, and Bid Category No. 21 Contractors** are responsible for the excavation and backfilling of their work in accordance with the Specifications.

Clarification No. 6:

Bid Category No. 4 Contractor shall provide all of the **Bid Package No. 2** curbs, walks, housekeeping pads, and sub grade foundations. All other concrete equipment pads, curbs and housekeeping pads shown or required for mechanical, plumbing, fire protection and electrical equipment are the responsibility of the contractor providing the equipment. Concrete for light pole bases are to be provided by the **Bid Category No. 21 Contractor**.

Clarification No. 7:

Regarding Specification Section 11 40 00 - Food Facility Equipment; any reference in the specifications and/or drawings to “GD-General Division or General Contractor” is the responsibility of the **Bid Category No. 4 Contractor**. Any reference in the specifications and/ or drawings to “FPD - Fire Protection Division or Fire Protection Contractor” is the responsibility of the **Bid Category No. 17 Contractor**. Any reference in the specifications and/ or drawings to “PD - Plumbing Division or Plumbing Contractor” is the responsibility of the **Bid Category No. 18 Contractor**. Any reference in the specifications and/ or drawings to “Sheet Metal/Ventilation Division or Sheet Metal Contractor” is the responsibility of the **Bid Category No. 19 Contractor**. Any reference in the specifications and/ or drawings to “MD - Mechanical Division or Mechanical Contractor” is the responsibility of the **Bid Category No. 20 Contractor**. Any reference in the specifications and/or drawings to “ED- Electrical Division or Electrical Contractor” is the responsibility of the **Bid Category No. 21 Contractor**.

Clarification No. 8:

Regarding Specification Section 07 92 00 - Joint Sealants; contractors are to provide Caulking in accordance with the Contract Documents. In general, the Contractor whose work creates a joint that requires caulking (in the normal sequence of work) is to provide the caulking. The **Bid Category No. 10 Contractor** shall provide caulking at all Hollow Metal Frames.

Clarification No. 9:

For construction access purposes, the 2nd, and 3rd floor windows are to be left out and installed at a later date on the north elevation of Unit A, including stopping the masonry at slab on deck elevation. The **Bid Category No. 5, 8, 9, and 10 Contractors** shall remobilize to complete this work. The **Bid Category No. 4 Contractor** shall construct a temporary enclosure with access doors and a secondary interior guardrail system to create a loading platform. All Contractors utilizing the opening are responsible to open, close, and ensure safe use while using, including safety of others working in the area. The **Bid Category No. 5 Contractor** shall provide an opening at the masonry wall in unit G along column line AQ from column lines 6 and 7. Another opening shall be provided at Unit K along column line 31 from column lines AB to AE. This will be for the **Bid Category No. 19 and 20 Contractors** to set the Mechanical Equipment and ductwork. The **Bid Category No. 5 Contractor** shall remobilize to complete the masonry work at a later date.

Clarification No. 10:

Regarding coordinating the installation of required penetrations, roof openings, wall openings floor openings, etc.; the Contractor whose work creates the opening or penetration is responsible for patching, repairing and sealing the opening or penetration to maintain the warranty.

Clarification No. 11:

The **Bid Category No. 18 Contractor** shall be responsible for the excavation, backfilling and marking final locations of the work associate with the underground copper water lines for future work. The **Bid Category No. 18 Contractor** shall also be responsible for the work associated with note numbers 1 thru 5 as indicated on sheet CU101.2, and CU102.2 - Site Utility Plans. The **Bid Category No. 21 Contractor** shall be responsible for the work associated with the conduits for future electrical/ technology work as indicated on sheet CU101.2, and CU102.2 - Site Utility Plans.

Clarification No. 12:

Regarding Specification Section 08 31 13 - Access Door and Frames; **Bid Category No. 16, 17, 18, 19, 20, 21** are responsible to coordinate access doors and frames for installation purposes with the **Bid Category No. 5, and No. 9 Contractors**. Access doors and frames attached to or within masonry walls is the responsibility of the **Bid Category No. 5 Contractor**. Access doors and frames attached to or within the metal stud wall assemblies is the responsibility of the **Bid Category No. 9 Contractor**. Access doors and frames attached to or within Kitchen Equipment, MEP and FP systems are the responsibility of the **Bid Category No. 16, 17, 18, 19, 20, 21 Contractors**. All other access doors and frames included within this section is the responsibility of the **Bid Category No. 4 Contractor**.

Clarification No. 13:

Regarding Specification Sections 07 84 13 - Penetration Firestopping, and 07 84 46 - Fire Resistance Joint Systems; the contractor whose work creates a condition requiring firestopping will be responsible to provide firestopping in accordance with the contract documents.

Clarification No. 14:

Each contractor is responsible to provide adequate ventilation of equipment exhaust while working in the building specifically in the larger spaces in Units F Through L.

END OF SECTION 01 12 00