


Boone County Commissioners Boone County Courthouse Window Replacement


201 Courthouse Square Lebanon, IN 46052

ISSUED FOR BIDDING
2.27.2024

DRAWING INDEX	
Sheet Number	Sheet Name
G001	COVER
General	
A001	GENERAL INFORMATION
Architectural	
A101	BASEMENT FLOOR PLAN
A102	FIRST FLOOR PLAN
A103	SECOND FLOOR PLAN
A104	THIRD FLOOR PLAN
A105	ATTIC FLOOR PLAN
A201	EXTERIOR ELEVATIONS SCHEMATIC
A600.1	WINDOW DETAILS-FLRS. 1-3
A600.2	WINDOW DETAILS - ATTIC- ALTERNATE NO. 1B
A600.3	WINDOW SCHEDULE AND WINDOW TYPES




Architect:
Etica
GROUP
Etica Group, Inc.
8720 Castle Creek Pkwy E Dr #400,
Indianapolis, IN 46250
(317) 466-9520
www.eticagroup.com



ISSUED FOR
BIDDING

Boone County Courthouse Window Replacement
201 Courthouse Square
Lebanon, IN 46052
Boone County Commissioners
116 West Washington St.
Lebanon, IN 46052

DISCLAIMER:
This construction document is the property of The Etica Group, Inc. It is intended solely for use by The Etica Group, Inc. Its use, reproduction, or distribution by any other party without the express written permission of The Etica Group, Inc. is prohibited. Use of this document for any purpose other than that intended by The Etica Group, Inc. constitutes an impermissible misuse. The Etica Group, Inc. is not responsible for any damage or injury resulting from misuse of this document. The Etica Group, Inc. disclaims all warranties, express or implied, relating to the use of this document for any purpose other than that intended by The Etica Group, Inc.



PROJECT NUMBER:
230139

REVISION SCHEDULE
1. DESCRIPTION 2. DRAWN BY 3. DATE ISSUED

DATE ISSUED: 2/27/2024
DRAWN BY: NLC
CHECKED BY: DJH

DRAWING TITLE:
COVER

SHEET NUMBER:
G001

GENERAL PROJECT NOTES

- A. ALL WORK SHALL COMPLY WITH THE REQUIREMENTS OF ALL APPLICABLE STATE AND LOCAL BUILDING CODES. CONTRACTORS ARE RESPONSIBLE FOR VERIFYING THE CURRENT APPLICABLE BUILDING CODE(S) FOR THEIR RESPECTIVE SCOPE OF WORK.
- B. CONTRACTOR(S) SHALL VISIT THE WORK SITE PRIOR TO COMMENCEMENT. THE DRAWINGS CONTAINED HEREIN MAY NOT BE ALL INCLUSIVE OF EXISTING CONDITIONS OR NEW WORK REQUIREMENTS. CONTRACTOR(S) SHALL MAKE THEMSELVES FAMILIAR WITH THE WORK SITE IN THE FIELD IN ORDER TO BE FULLY AWARE OF THE REQUIREMENTS OF THE SCOPE OF WORK.
- C. FIELD VERIFY ALL DIMENSIONS AND MEASUREMENTS. INFORM THE GENERAL CONTRACTOR BEFORE BEGINNING ANY CONSTRUCTION IF EXISTING CONDITIONS PREVENT OBTAINING RESULTS AS SHOWN OR SPECIFIED. DO NOT SCALE DRAWINGS. NOTED DIMENSIONS TAKE PRECEDENCE.
- D. VERIFY EXISTING CONDITIONS INDICATED ON THE DRAWINGS AND REPORT ANY DISCREPANCY THROUGH THE GENERAL CONTRACTOR TO ETICA GROUP, INC.
- E. THE GENERAL CONTRACTOR SHALL COORDINATE WITH THE OWNER REGARDING ALL ON-SITE ACTIVITIES; SUCH AS, BUT NOT LIMITED TO, WORK SCHEDULE, MATERIALS STORAGE AND HANDLING, DELIVERIES, ACCESS TO THE WORK SITE, TRAFFIC CONTROL, AND BUILDING/PUBLIC SAFETY PROCEDURES DURING CONSTRUCTION. THE CONTRACTOR SHALL ALSO COORDINATE WORK 'BY OTHERS' WITH HIS/HER OWN ACTIVITIES AS NECESSARY TO EXECUTE THE OVERALL PROJECT SCOPE.
- F. THE GENERAL CONTRACTOR SHALL COORDINATE WITH THE LANDLORD, DAILY WORKING HOURS, WEEKEND HOURS AND HOURS THAT MAY BE WORKED PRIOR TO AND DURING HOLIDAYS. LANDLORD RESERVES THE RIGHT TO RESTRICT CONSTRUCTION TO NIGHTS AND WEEKENDS WHEN THAT CONSTRUCTION IS DEEMED TO INTERFERE WITH THE OPERATIONS OF ADJACENT TENANTS.
- G. FOR THOSE ITEMS TO BE ORDERED REQUIRING LEAD TIME, THE CONTRACTOR SHALL COORDINATE THE PROJECT SCHEDULE ACCORDINGLY AND COMMUNICATE TO THE OWNER, TENANT, AND ETICA GROUP WHEN DECISIONS MUST BE RENDERED IN ORDER FOR THE CONTRACTOR TO MEET THE PROJECT SCHEDULE. THE OWNER, TENANT, OR DESIGNER/ARCHITECT IS NOT RESPONSIBLE FOR DELAYS RESULTING FROM THE CONTRACTOR'S FAILURE TO COMMUNICATE MATERIAL LEAD TIMES.
- H. SUBSTITUTIONS FOR SPECIFICALLY NAMED PRODUCTS WILL NOT BE ALLOWED WITHOUT PRIOR APPROVAL FROM THE DESIGNER. SUBMIT REQUESTS FOR SUBSTITUTIONS WITH APPROPRIATE SUPPORT INFORMATION TO THE DESIGNER. ALLOW REASONABLY SUFFICIENT TIME FOR THE DESIGNER TO REVIEW THE REQUEST AND RENDER A DECISION.U. ALL CHANGES SHALL BE APPROVED BY THE ARCHITECT AND OWNER PRIOR TO PROCEEDING WITH THE WORK.
- I. ETICA GROUP, INC., SHALL NOT HAVE CONTROL OVER, OR BE IN CHARGE OF, AND SHALL NOT BE RESPONSIBLE FOR A CONTRACTOR'S CONSTRUCTION MEANS, METHODS, SCHEDULES, SEQUENCES, OR SAFETY. THE CONTRACTORS SHALL BE RESPONSIBLE FOR MAINTAINING A SAFE ENVIRONMENT FOR WORKERS AND THE PUBLIC AT ALL TIMES.
- J. THE GENERAL CONTRACTOR SHALL ESTABLISH WITH THE LANDLORD CLEANUP PROCEDURES AND GUIDELINES TO BE FOLLOWED ON A DAILY BASIS IN ORDER TO CONDUCT BUSINESS IN A SAFE AND CLEAN ENVIRONMENT.
- K. THE GENERAL CONTRACTOR SHALL COORDINATE WITH THE LANDLORD, AN AREA FOR STAGING OF CONSTRUCTION MATERIALS, EQUIPMENT, DUMPSTER AND PARKING CONSTRUCTION AND DELIVERY VEHICLES. THE USE OF EXISTING REST ROOM FACILITIES SHALL BE APPROVED BY THE LANDLORD. ONLY THOSE DESIGNATED AREAS SHALL BE USED BY CONSTRUCTION CREWS.
- L. THE GENERAL CONTRACTOR SHALL USE DUST PARTITIONS TO MINIMIZE DISTURBANCES OF DAILY TENANT OPERATIONS DURING DEMOLITION AND CONSTRUCTION WORK. DUST PARTITIONS SHALL BE CONSTRUCTED OF 2X4 WOOD STUDS @ 24"O.C., INSULATION AND 6 MIL VAPOR BARRIER ON EACH SIDE.
- M. CONTACT THE DESIGNER IMMEDIATELY IF, IN THE FIELD, CONFLICTS ARE DISCOVERED BETWEEN COMPONENTS OF DIFFERENT SYSTEMS THAT PREVENT THE INSTALLATION OF THOSE COMPONENTS AS INDICATED ON THE DRAWINGS. (I.E. WHERE EXISTING MECHANICAL DUCTWORK MAY PREVENT THE INSTALLATION OF LIGHTING FIXTURES AS INDICATED ON THE CEILING PLAN).
- N. SHOP DRAWINGS OR CATALOG CUTS MUST BE SUBMITTED TO ETICA GROUP, INC. FOR APPROVAL ON ALL MATERIALS OR ITEMS WHERE THE CONTRACTOR CHOOSES TO DEVIATE FROM WHAT IS SHOWN ON THE DRAWINGS, OR IF THE DRAWINGS DO NOT INDICATE A SPECIFIC MANUFACTURER OR MODEL NUMBER.
- O. EXPEDITE PREPARATION AND SUBMITTAL OF ALL SHOP DRAWINGS TO ALLOW SUFFICIENT TIME FOR CHECKING, APPROVAL, ORDERING, FABRICATION, AND DELIVERY OF MATERIALS AND EQUIPMENT.
- P. ALL WORK AND MATERIALS SHALL BE IN CONFORMANCE AND WITH MANUFACTURERS RECOMMENDATIONS. IF ANY DISCREPANCY EXISTS, CONTRACTOR IS TO NOTIFY THE ARCHITECT IN WRITING FOR DIRECTION.
- Q. THE INFORMATION CONTAINED ON THE CONSTRUCTION DOCUMENTS IS IN ITSELF INCOMPLETE AND VOID UNLESS USED IN CONJUNCTION WITH ALL THE CONTRACT DOCUMENTS AND WITH ALL THE ARCHITECTS AND MANUFACTURERS SPECIFICATIONS, TRADE ASSOCIATION RECOMMENDATIONS, ACCEPTED ENGINEERING PRACTICES, AND ALL APPLICABLE STANDARDS, CODES, ETC. INCORPORATED THEREIN BY REFERENCE WHICH THE CONTRACTOR CERTIFIES KNOWLEDGE OF BY SIGNING THE CONSTRUCTION CONTRACT.
- R. CONTRACTOR TO ASSUME FULL RESPONSIBILITY UNRELIEVED BY REVIEW OF SHOP DRAWINGS AND BY SUPERVISION OR PERIODIC OBSERVATION OF CONSTRUCTION;
1. FOR COMPLIANCE WITH THE CONTRACT DOCUMENTS,
 2. FOR DIMENSIONS TO BE CONFIRMED AND CORRELATED ON THE JOB SITE AND BETWEEN INDIVIDUAL DRAWINGS,
 3. FOR FABRICATION PROCESSES AND CONSTRUCTION TECHNIQUES (INCLUDING SHORING, SCAFFOLDING, BRACING, ERECTION, ETC.)
 4. FOR COORDINATION OF THE VARIOUS TRADES, AND
 5. FOR SAFE CONDITIONS ON THE JOB SITE.
- S. DETAILS NOT SHOWN ARE SIMILAR IN CHARACTER TO THOSE DETAILED. WHERE SPECIFIC DIMENSIONS, DETAILS, OR DESIGN INTENT CANNOT BE DETERMINED, CONSULT WITH ARCHITECT PRIOR TO PROCEEDING WITH WORK.
- T. GENERAL CONTRACTOR WILL BE RESPONSIBLE FOR REPLACING ANY ITEMS DAMAGED DURING CONSTRUCTION.
- U. CONTRACTOR SHALL DETERMINE DURING THE BIDDING PROCESS WHETHER PROPER EXECUTION OF THE WORK INVOLVES ADDITIONAL WORK WITHIN OF OUTSIDE THE CONTRACT LIMIT LINES. THE EXTENT, COST AND NATURE OF SUCH WORK SHALL BE MADE KNOWN TO THE ARCHITECT PRIOR TO THE ACCEPTANCE OF BIDS.
- V. PATCH EXISTING WALLS, FLOORS AND CEILINGS AFFECTED BY DEMOLITION, AND REMODELING WORK IN AREAS WITHIN OR ADJACENT TO CONTRACT LIMIT LINES OR RELATED AREAS COVERED BY WORK UNDER THIS CONTRACT. PATCHWORK SHALL MATCH EXISTING AND SHALL BE ACCEPTABLE TO ARCHITECT FOR APPROVAL.
- W. ALL PRODUCTS SHALL BE AS SPECIFIED. CONTRACTOR MAY, AT THEIR OWN EXPENSE, PROPOSE ALTERNATE PRODUCTS WHICH MAY BE EQUIVALENT IN QUALITY, FINISH AND FUNCTION. ASSUMING THAT THE PROPOSED SUBSTITUTIONS ARE SUBMITTED IN WRITING AND IN A TIMELY MANNER, THEY WILL BE CONSIDERED BY THE ARCHITECT AND, AT THE ARCHITECTS DISCRETION, MAY BE ALLOWED. COST AND TIME IMPLICATIONS RELATED TO THE CHANGE WILL ALSO BE REVIEWED BY THE ARCHITECT. IF ARCHITECTS APPROVAL IS NOT OBTAINED, THE ARCHITECT SHALL NOT BE RESPONSIBLE FOR ANY RELATED REPERCUSSIONS ARISING FROM THE SUBSTITUTION.
- X. PROVIDE ADEQUATE SHORING AND BRACING FOR WORK IN PROGRESS.
- Y. PROTECT PROPERTY AND OWNER OPERATIONS FROM DAMAGE AND/OR DELETERIOUS ACTIVITIES. REPAIR ANY DAMAGE WHICH MAY OCCUR AT ONCE.
- Z. ALL WORKERS SHALL BE INSURED IN ACCORDANCE WITH THE AGREEMENT BETWEEN OWNER AND GENERAL CONTRACTOR.
- AA. MAINTAIN THE SITE IN A CLEAN AND ORDERLY MANNER. REMOVE ALL DEBRIS, EXCESS MATERIALS, DIRT AND SIMILAR ITEMS AND PROPERLY DISPOSE OF OFF SITE.
- BB. ALL WORK CONTRACTED OR SUBCONTRACTED FOR THE COMPLETION OF THIS PROJECT IS SUBJECT TO REVIEW AND FINAL APPROVAL BY THE ARCHITECT.
- CC. ALL WORK SHALL BE IN ACCORDANCE WITH THE LATEST EDITION OF THE IBC, WITH INDIANA AMENDMENTS, THE UNIFORM BUILDING CODES AND STANDARDS FOR ALL GENERAL CONSTRUCTION, AND ALL LOCAL AND FEDERAL CODES AND STANDARDS.

REGION TYPES

CONCRETE

MORTAR

BRICK

CONCRETE BLOCK

STEEL / METAL

WOOD

WOOD BLOCKING / HEAVY TIMBER

PLYWOOD

BATT INSULATION

RIGID INSULATION

SOLID SURFACE / PLASTIC

SAND, GYPSUM, OR AS NOTED

EARTH

GRANULAR FILL

SYMBOLS

Ref

1

A101

SECTION HEAD OPEN

Ref

1

A101

SECTION HEAD NO ARROW

Ref

1

A101

SECTION HEAD FILLED

Name

Elevation

LEVEL HEAD

0

GRID HEAD

1

A101

ELEVATION MARK BODY EXTERIOR

A101

1

A101

ELEVATION MARK BODY INTERIOR

99

A100/9

1/8" = 1'-0"

VIEW NAME

1/8" = 1'-0"

REF: R/101

VIEW TITLE

TAGS

AREA NAME

150

AREA TAG

CEIL-1

CEILING TAG

XXX

DOOR TAG

?

MATERIAL TAG

W12A

WALL TAG

R1

REVISION TAG

11

WINDOW TAG

XX

MULTI-CATEGORY TAG (TYPE MARK)

ROOM NAME

101

ROOM TAG

Name

101

150 SF

OCCUPANT LOAD

101

150 SF

ROOM NUMBER

101

150 SF

LIFE SAFETY TAG

ROOM NAME

101

ROOM NUMBER

FLOOR FINISH

(FLOOR-1)

FLOOR FINISH TAG

WALL FINISH

(BS-1)W(L-1)

WALL FINISH TAG

BASE FINISH

BASE FINISH TAG

ACTUAL LOAD

REQUIRED EGRESS WIDTH

EGRESS TAG

99

20'

32'

ACTUAL EGRESS WIDTH

EGRESS CAPACITY

OTHER SYMBOLS

N

NORTH ARROW

SPOT ELEVATION

C

CENTERLINE

1

PLAN NOTE

ABBREVIATIONS

ABD	ABANDONED	CONC	CONCRETE	FB	FACE BRICK	LAM	LAMINATED	OA	OVERALL	REV	REVISION
AC	AIR CONDITIONING	CONT	CONTINUOUS OR CONTINUED	FD	FLOOR DRAIN	LBS	POUNDS	OC	ON CENTER	SATT	SATELLITE DISH
A/E	ASPHALT EMULSION	CONTR	CONTRACTOR	FIN	FINISHED	LFT	LINEAR FOOT	OH	OVERHEAD	SC	SCUPPER
AFF	ABOVE FINISH FLOOR	DBL	DOUBLE	FLG	FLASHING	LVR	LOUVER	OPNG	OPENING	SD	STORM DRAIN
AHU	AIR HANDLING UNIT	DEG	DEGREE	FSR	FLEXIBLE SHEET ROOFING	LWC	LIGHT WEIGHT CONCRETE	PT	PAINT	SECT	SECTION
ALT	ALTERNATE	DEMO	DEMOLITION	FLR	FLOOR	MAS	MASONRY	PGC	PRE-CAST CONCRETE	SH	SHEET
ALUM	ALUMINUM	DEPT	DEPARTMENT	FP	FALL PROTECTION	MATL	MATERIAL	PERP	PERPENDICULAR	SIM	SIMILAR
ASPH	ASPHALT	DIA	DIAMETER	FT	FOOT or FEET	MAX	MAXIMUM	PL	PLATE	SPTS	SPECIFICATIONS
BOT	BOTTOM	DIM	DIMENSION	GA	GAUGE	MBR	MODIFIED BITUMEN ROOFING	PLAS	PLASTIC	SS	STAINLESS STEEL
BD	BOARD	DL	DEAD LOAD	GALV	GALVANIZED	MECH	MECHANICAL	PLBG	PLUMBING	STD	STANDARD
BFLG	BASE FLASHING	DN	DOWN	GB	GLASS BLOCK	PWD	MANUFACTURER	PW	PLYWOOD	STL	STEEL
BIT	BITUMINOUS	DR	DOOR	GC	GENERAL CONTRACTOR	MH	MAN HOLE	PREFAB	PREFABRICATED	T&G	TONGUE & GROOVE
BJT	BED JOINT	DS	DOWN SPOUT	GL	GLASS	MIN	MINIMUM	PROJ	PROJECT	TEMP	TEMPERATURE
BLDG	BUILDING	DTL	DETAIL	GR	GRADE	MISC	MISCELLANEOUS	PSI	POUNDS PER SQUARE INCH	TERM	TERMINATION
BLK	BLOCK	DWG	DRAWING	GRV	GRAVITY ROOF VENT	MO	MASONRY OPENING	PP	PIPE PENETRATION	THK	THICK or THICKNESS
BRG	BEARING	EF	EXHAUST FAN	GWV	GYPSUM WALL BOARD	MRO	METAL ROOF DECK	PS	PIPE SEAL	TOM	TOP OF MASONRY
BS	BOTH SIDES	EPDM	ETHYLENE PROPYLENE DIENE MONOMER	GYV	GYPSUM	MTD	MOUNTED	PV	PLUMBING VENT	TOS	TOP OF STEEL
BUR	BUILT UP ROOFING	EIFS	EXTERIOR INSULATION FINISH SYSTEM	HGT	HEIGHT	MTD	MOUNTED	PVC	POLY VINYL CHLORIDE	TOP	TOP OF
BRK	BRICK	EJ	EXPANSION JOINT	HDWD	HARDWOOD	MTG	MOUNTING	QTY	QUANTITY	TY	TYPICAL
C/C	CENTER TO CENTER	ELEC	ELECTRICAL	HDWR	HARDWARE	MTL	METAL	RC	ROOF CORE	UNF	UNFINISHED
CJ	CONTROL JOINT	ELEV	ELEVATION or ELEVATOR	HM	HOLLOW METAL	N	NORTH	RD	ROOF DRAIN	UNT	UNLESS NOTED OTHERWISE
CLS	CEILING	ENG	ENGINEER	HORZ	HORIZONTAL	NA	NOT APPLICABLE	REF	REFER TO	UTL	UTILITY
CLR	CLEAR	EP	ELECTRICAL PANEL	HVAC	HEATING, VENTILATING, AIR CONDITIONING	NIC	NOT IN CONTRACT	REINF	REINFORCING	VB	VINYL BASE
CMU	CONCRETE MASONRY UNIT	ETC	ETCETERA	INO	INCH	NO	NUMBER	REOD	REQUIRED	VCT	VINYL COMPOSITION TILE
CNTR	COUNTER FLASHING	EST	ESTIMATE	INS	INSULATION	NOM	NOMINAL	RFG	ROOFING	VRT	VAPOR RETARDER
CO	CLEAN OUT	ENG	EXISTING	INSUL	INSULATION	RS	ROOF SUMP	RV	RELIEF VENT	VERT	VERTICAL
COL	COLUMN	EXP	EXPOSED	JT	JOINT	NTS	NOT TO SCALE			VIF	VERIFY IN FIELD
COORD	COORDINATE	EXT	EXTERIOR								

ISSUED FOR
BIDDING

Boone County Courthouse Window Replacement
201 Courthouse Square
Lebanon, IN 46052

Boone County Commissioners
116 West Washington St.
Lebanon, IN 46052

DISCLAIMER:
This construction document is the property of The Etica Group, Inc. It is intended solely for use by The Etica Group, Inc., its heirs, and assigns. Modification or reuse of the document without permission from The Etica Group, Inc. is prohibited. Use of this document for any purpose other than that intended by The Etica Group, Inc. constitutes an impermissible misuse. The Etica group, inc. is not responsible for any damage or injury resulting from misuse of this document. The Etica Group, Inc. disclaims all warranties, express or implied, relating to the use of this document for any purpose other than that intended by The Etica Group, Inc.

PROJECT NUMBER
230139

REVISION SCHEDULE
4 | 1 | DESCRIPTION | DRAWN BY | DATE ISSUED


DATE ISSUED:
2/27/2024

DRAWN BY:
NLC

CHECKED BY:
DJH

DRAWING TITLE:
GENERAL
INFORMATION

SHEET NUMBER:
A001



1 BASEMENT FLOOR PLAN
1/8" = 1'-0" REF: 1 A201

GENERAL FLOOR PLAN NOTES

- ALL DIMENSIONS ARE SHOWN TO FACE OF STUD, MASONRY, OR COLUMN CENTERLINES UNLESS NOTED OTHERWISE. DIMENSIONS DESIGNATED AS CLEAR...
- SEAL ALL JOINTS BETWEEN DISSIMILAR MATERIALS.
- MANUFACTURERS LISTED IN THE CONSTRUCTION DOCUMENTS ARE FOR "BASIS-OF-DESIGN". SUBSTITUTIONS SHALL MEET OR EXCEED THE PERFORMANCE REQUIREMENTS AND ASTM STANDARDS LISTED IN THE SPECIFICATIONS TO BE CONSIDERED AN APPROVED EQUAL BY THE OWNER AND ARCHITECT OF RECORD.
- FIELD VERIFY EXISTING CONDITIONS AND DIMENSIONS INDICATED ON THE DRAWINGS AND REPORT ANY DISCREPANCIES TO THE ARCHITECT / ENGINEER PRIOR TO COMMENCEMENT OF WORK.
- ALL AREAS EFFECTED BY DEMOLITION SHALL BE PATCHED AND PREPPED TO MATCH ADJACENT SURFACES AND TO RECEIVE NEW FINISHES.
- CONTRACTOR SHALL ALLOW FOR UNLEVEL FLOOR CONDITIONS. ADJUST DOORS AND FRAMES AS REQUIRED.
- ALL CAULKING SHALL BE COORDINATED BY THE GENERAL CONTRACTOR. ITEMS THAT ABUT TO WALL SHALL HAVE FINISH CAULK, AND SHALL INCLUDE, BUT NOT LIMITED TO: DOOR FRAMES. CAULK COLOR SHALL MATCH ADJACENT WALL COLOR UNLESS SPECIFIED OTHERWISE. SUBMIT COLOR SAMPLES FOR APPROVAL BY ARCHITECT.
- GENERAL CONTRACTOR SHALL PROVIDE ALL NECESSARY BLOCKING (FIRE RATED AS REQ'D) CONCEALED WITHIN THE WALL AS REQUIRED FOR AND ALL ITEMS THAT MUST BE SECURED TO THE WALL.
- ALL DIMENSIONS ARE FINISH FACE TO FINISH FAC, U.N.O.
- VERIFY WINDOW AND DOOR OPENING SIZES WITH SELECTED MANUFACTURER; ADJUST AS REQUIRED.
- REPORT ALL DISCREPANCIES WITH DIMENSIONS AND FIELD CONDITIONS BEFORE FRAMING.
- DO NOT SCALE DRAWINGS.

KEY NOTES - FLOOR PLANS AND ELEVATIONS


NO.	DESCRIPTION
1	INDICATED WINDOW TO HAVE OBSCURE GLASS
2	WINDOWS WA & WB, REFER TO WINDOW TYPES, SHEET A600.3
3	IRON BASEMENT WELL GRILL COVER. REMOVE AND REPLACE AS REQ'D. TO ACCESS WINDOW- STORE SAFELY. PROTECT FROM DAMAGE.
4	DECORATIVE IRON RAIL. REFER TO PAINTING SCOPE, SHEET A600.3
5	HVAC LOUVER IN UPPER WINDOW SASH TO REMAIN. REFER TO SHEET A600.3
6	LOUVER, REFER TO PAINTING SCOPE, SHEET A600.3
7	OPERABLE WINDOW DESIGNATION, REFER TO WINDOW TYPES SHEET A600.3
8	WINDOWS WP & WQ, REFER TO WINDOW TYPES, SHEET A600.3
9	WINDOW TO HAVE CUSTODIAL LOCKS, NO SASH LIMITER
10	EXIST WOOD DOOR SYSTEM. REFER TO PAINTING SCOPE, SHEET A600.3



ISSUED FOR
BIDDING

Boone County Courthouse Window Replacement
201 Courthouse Square
Lebanon, IN 46052
Boone County Commissioners
116 West Washington St.
Lebanon, IN 46052

DISCLAIMER:
This construction document is the property of The Etica Group, Inc. It is intended solely for use by The Etica Group, Inc. its heirs, and assigns. Modification or reuse of the document without permission from The Etica Group, Inc. is prohibited. Use of this document for any purpose other than that intended by The Etica Group, Inc. constitutes an impermissible misuse. The Etica group, inc. is not responsible for any damage or injury resulting from misuse of this document. The Etica Group, Inc. disclaims all warranties, express or implied, relating to the use of this document for any purpose other than that intended by The Etica Group, Inc.



PROJECT NUMBER:
230139

REVISION SCHEDULE
4 | 1 DESCRIPTION | 1 DRAWN BY | DATE ISSUED

DATE ISSUED:
2.27.2024
DRAWN BY:
NLC
CHECKED BY:
DJH

DRAWING TITLE:
BASEMENT
FLOOR PLAN


SHEET NUMBER:
A101

GENERAL FLOOR PLAN NOTES


- A. ALL DIMENSIONS ARE SHOWN TO FACE OF STUD, MASONRY, OR COLUMN CENTERLINES UNLESS NOTED OTHERWISE. DIMENSIONS DESIGNATED AS CLEAR...
- B. SEAL ALL JOINTS BETWEEN DISSIMILAR MATERIALS.
- C. MANUFACTURERS LISTED IN THE CONSTRUCTION DOCUMENTS ARE FOR "BASIS-OF-DESIGN". SUBSTITUTIONS SHALL MEET OR EXCEED THE PERFORMANCE REQUIREMENTS AND ASTM STANDARDS LISTED IN THE SPECIFICATIONS TO BE CONSIDERED AN APPROVED EQUAL BY THE OWNER AND ARCHITECT OF RECORD.
- D. FIELD VERIFY EXISTING CONDITIONS AND DIMENSIONS INDICATED ON THE DRAWINGS AND REPORT ANY DISCREPANCIES TO THE ARCHITECT / ENGINEER PRIOR TO COMMENCEMENT OF WORK.
- E. ALL AREAS EFFECTED BY DEMOLITION SHALL BE PATCHED AND PREPPED TO MATCH ADJACENT SURFACES AND TO RECEIVE NEW FINISHES.
- F. CONTRACTOR SHALL ALLOW FOR UNLEVEL FLOOR CONDITIONS. ADJUST DOORS AND FRAMES AS REQUIRED.
- G. ALL CAULKING SHALL BE COORDINATED BY THE GENERAL CONTRACTOR. ITEMS THAT ABUT TO WALL SHALL HAVE FINISH CAULK, AND SHALL INCLUDE, BUT NOT LIMITED TO: DOOR FRAMES. CAULK COLOR SHALL MATCH ADJACENT WALL COLOR UNLESS SPECIFIED OTHERWISE. SUBMIT COLOR SAMPLES FOR APPROVAL BY ARCHITECT.
- H. GENERAL CONTRACTOR SHALL PROVIDE ALL NECESSARY BLOCKING (FIRE RATED AS REQ'D) CONCEALED WITHIN THE WALL AS REQUIRED FOR AND ALL ITEMS THAT MUST BE SECURED TO THE WALL.
- I. ALL DIMENSIONS ARE FINISH FACE TO FINISH FAC, U.N.O.
- J. VERIFY WINDOW AND DOOR OPENING SIZES WITH SELECTED MANUFACTURER; ADJUST AS REQUIRED.
- K. REPORT ALL DISCREPANCIES WITH DIMENSIONS AND FIELD CONDITIONS BEFORE FRAMING.
- L. DO NOT SCALE DRAWINGS.

KEY NOTES - FLOOR PLANS AND ELEVATIONS

NO.	DESCRIPTION
①	INDICATED WINDOW TO HAVE OBSCURE GLASS
②	WINDOWS WA & WB, REFER TO WINDOW TYPES, SHEET A600.3
③	IRON BASEMENT WELL GRILL COVER. REMOVE AND REPLACE AS REQ'D. TO ACCESS WINDOW- STORE SAFELY. PROTECT FROM DAMAGE.
④	DECORATIVE IRON RAIL. REFER TO PAINTING SCOPE, SHEET A600.3
⑤	HVAC LOUVER IN UPPER WINDOW SASH TO REMAIN. REFER TO SHEET A600.3
⑥	LOUVER, REFER TO PAINTING SCOPE, SHEET A600.3
⑦	OPERABLE WINDOW DESIGNATION, REFER TO WINDOW TYPES SHEET A600.3
⑧	WINDOWS WP & WQ, REFER TO WINDOW TYPES, SHEET A600.3
⑨	WINDOW TO HAVE CUSTODIAL LOCKS, NO SASH LIMITER
⑩	EXIST WOOD DOOR SYSTEM. REFER TO PAINTING SCOPE, SHEET A600.3



1 FIRST FLOOR PLAN
1/8" = 1'-0" REF: 1/A201



1 SECOND FLOOR
A103
1/8" = 1'-0" REF: 1/A201

GENERAL FLOOR PLAN NOTES

- A. ALL DIMENSIONS ARE SHOWN TO FACE OF STUD, MASONRY, OR COLUMN CENTERLINES UNLESS NOTED OTHERWISE. DIMENSIONS DESIGNATED AS CLEAR...
- B. SEAL ALL JOINTS BETWEEN DISSIMILAR MATERIALS.
- C. MANUFACTURERS LISTED IN THE CONSTRUCTION DOCUMENTS ARE FOR "BASIS-OF-DESIGN". SUBSTITUTIONS SHALL MEET OR EXCEED THE PERFORMANCE REQUIREMENTS AND ASTM STANDARDS LISTED IN THE SPECIFICATIONS TO BE CONSIDERED AN APPROVED EQUAL BY THE OWNER AND ARCHITECT OF RECORD.
- D. FIELD VERIFY EXISTING CONDITIONS AND DIMENSIONS INDICATED ON THE DRAWINGS AND REPORT ANY DISCREPANCIES TO THE ARCHITECT / ENGINEER PRIOR TO COMMENCEMENT OF WORK.
- E. ALL AREAS EFFECTED BY DEMOLITION SHALL BE PATCHED AND PREPPED TO MATCH ADJACENT SURFACES AND TO RECEIVE NEW FINISHES.
- F. CONTRACTOR SHALL ALLOW FOR UNLEVEL FLOOR CONDITIONS. ADJUST DOORS AND FRAMES AS REQUIRED.
- G. ALL CAULKING SHALL BE COORDINATED BY THE GENERAL CONTRACTOR. ITEMS THAT ABUT TO WALL SHALL HAVE FINISH CAULK, AND SHALL INCLUDE, BUT NOT LIMITED TO: DOOR FRAMES. CAULK COLOR SHALL MATCH ADJACENT WALL COLOR UNLESS SPECIFIED OTHERWISE. SUBMIT COLOR SAMPLES FOR APPROVAL BY ARCHITECT.
- H. GENERAL CONTRACTOR SHALL PROVIDE ALL NECESSARY BLOCKING (FIRE RATED AS REQ'D) CONCEALED WITHIN THE WALL AS REQUIRED FOR AND ALL ITEMS THAT MUST BE SECURED TO THE WALL.
- I. ALL DIMENSIONS ARE FINISH FACE TO FINISH FAC, U.N.O.
- J. VERIFY WINDOW AND DOOR OPENING SIZES WITH SELECTED MANUFACTURER; ADJUST AS REQUIRED.
- K. REPORT ALL DISCREPANCIES WITH DIMENSIONS AND FIELD CONDITIONS BEFORE FRAMING.
- L. DO NOT SCALE DRAWINGS.

KEY NOTES - FLOOR PLANS AND ELEVATIONS

NO.	DESCRIPTION
1	INDICATED WINDOW TO HAVE OBSCURE GLASS
2	WINDOWS WA & WB, REFER TO WINDOW TYPES, SHEET A600.3
3	IRON BASEMENT WELL GRILL COVER. REMOVE AND REPLACE AS REQ'D. TO ACCESS WINDOW- STORE SAFELY. PROTECT FROM DAMAGE.
4	DECORATIVE IRON RAIL. REFER TO PAINTING SCOPE, SHEET A600.3
5	HVAC LOUVER IN UPPER WINDOW SASH TO REMAIN. REFER TO SHEET A600.3
6	LOUVER, REFER TO PAINTING SCOPE, SHEET A600.3
7	OPERABLE WINDOW DESIGNATION, REFER TO WINDOW TYPES SHEET A600.3
8	WINDOWS WP & WQ, REFER TO WINDOW TYPES, SHEET A600.3
9	WINDOW TO HAVE CUSTODIAL LOCKS, NO SASH LIMITER
10	EXIST WOOD DOOR SYSTEM. REFER TO PAINTING SCOPE, SHEET A600.3



ISSUED FOR
BIDDING

Boone County Courthouse Window Replacement
201 Courthouse Square
Lebanon, IN 46052
Boone County Commissioners
116 West Washington St.
Lebanon, IN 46052

DISCLAIMER:
This construction document is the property of The Etica Group, Inc. It is intended solely for use by The Etica Group, Inc. Its heirs, and assigns. Modification or reuse of the document without permission from The Etica Group, Inc. is prohibited. Use of this document for any purpose other than that intended by The Etica Group, Inc. constitutes an impermissible misuse. The Etica group, inc. is not responsible for any damage or injury resulting from misuse of this document. The Etica Group, Inc. disclaims all warranties, express or implied, relating to the use of this document for any purpose other than that intended by The Etica Group, Inc.



PROJECT NUMBER

230139

REVISION SCHEDULE

DATE ISSUED: 2.27.2024
DRAWN BY: NLC
CHECKED BY: DJH

DRAWING TITLE:
SECOND FLOOR
PLAN

SHEET NUMBER:


A103


GENERAL FLOOR PLAN NOTES

- A. ALL DIMENSIONS ARE SHOWN TO FACE OF STUD, MASONRY, OR COLUMN CENTERLINES UNLESS NOTED OTHERWISE. DIMENSIONS DESIGNATED AS CLEAR...
- B. SEAL ALL JOINTS BETWEEN DISSIMILAR MATERIALS.
- C. MANUFACTURERS LISTED IN THE CONSTRUCTION DOCUMENTS ARE FOR "BASIS-OF-DESIGN". SUBSTITUTIONS SHALL MEET OR EXCEED THE PERFORMANCE REQUIREMENTS AND ASTM STANDARDS LISTED IN THE SPECIFICATIONS TO BE CONSIDERED AN APPROVED EQUAL BY THE OWNER AND ARCHITECT OF RECORD.
- D. FIELD VERIFY EXISTING CONDITIONS AND DIMENSIONS INDICATED ON THE DRAWINGS AND REPORT ANY DISCREPANCIES TO THE ARCHITECT / ENGINEER PRIOR TO COMMENCEMENT OF WORK.
- E. ALL AREAS EFFECTED BY DEMOLITION SHALL BE PATCHED AND PREPPED TO MATCH ADJACENT SURFACES AND TO RECEIVE NEW FINISHES.
- F. CONTRACTOR SHALL ALLOW FOR UNLEVEL FLOOR CONDITIONS. ADJUST DOORS AND FRAMES AS REQUIRED.
- G. ALL CAULKING SHALL BE COORDINATED BY THE GENERAL CONTRACTOR. ITEMS THAT ABUT TO WALL SHALL HAVE FINISH CAULK, AND SHALL INCLUDE, BUT NOT LIMITED TO: DOOR FRAMES. CAULK COLOR SHALL MATCH ADJACENT WALL COLOR UNLESS SPECIFIED OTHERWISE. SUBMIT COLOR SAMPLES FOR APPROVAL BY ARCHITECT.
- H. GENERAL CONTRACTOR SHALL PROVIDE ALL NECESSARY BLOCKING (FIRE RATED AS REQ'D) CONCEALED WITHIN THE WALL AS REQUIRED FOR AND ALL ITEMS THAT MUST BE SECURED TO THE WALL.
- I. ALL DIMENSIONS ARE FINISH FACE TO FINISH FAC, U.N.O.
- J. VERIFY WINDOW AND DOOR OPENING SIZES WITH SELECTED MANUFACTURER; ADJUST AS REQUIRED.
- K. REPORT ALL DISCREPANCIES WITH DIMENSIONS AND FIELD CONDITIONS BEFORE FRAMING.
- L. DO NOT SCALE DRAWINGS.

KEY NOTES - FLOOR PLANS AND ELEVATIONS

NO.	DESCRIPTION
1	INDICATED WINDOW TO HAVE OBSCURE GLASS
2	WINDOWS WA & WB, REFER TO WINDOW TYPES, SHEET A600.3
3	IRON BASEMENT WELL GRILL COVER. REMOVE AND REPLACE AS REQ'D. TO ACCESS WINDOW- STORE SAFELY. PROTECT FROM DAMAGE.
4	DECORATIVE IRON RAIL. REFER TO PAINTING SCOPE, SHEET A600.3
5	HVAC LOUVER IN UPPER WINDOW SASH TO REMAIN. REFER TO SHEET A600.3
6	LOUVER, REFER TO PAINTING SCOPE, SHEET A600.3
7	OPERABLE WINDOW DESIGNATION, REFER TO WINDOW TYPES SHEET A600.3
8	WINDOWS WP & WQ, REFER TO WINDOW TYPES, SHEET A600.3
9	WINDOW TO HAVE CUSTODIAL LOCKS, NO SASH LIMITER
10	EXIST WOOD DOOR SYSTEM. REFER TO PAINTING SCOPE, SHEET A600.3





1 ATTIC FLOOR
A105
1/8" = 1'-0" REF: 1/A201

GENERAL FLOOR PLAN NOTES

- A. ALL DIMENSIONS ARE SHOWN TO FACE OF STUD, MASONRY, OR COLUMN CENTERLINES UNLESS NOTED OTHERWISE. DIMENSIONS DESIGNATED AS CLEAR...
- B. SEAL ALL JOINTS BETWEEN DISSIMILAR MATERIALS.
- C. MANUFACTURERS LISTED IN THE CONSTRUCTION DOCUMENTS ARE FOR 'BASIS-OF-DESIGN'. SUBSTITUTIONS SHALL MEET OR EXCEED THE PERFORMANCE REQUIREMENTS AND ASTM STANDARDS LISTED IN THE SPECIFICATIONS TO BE CONSIDERED AN APPROVED EQUAL BY THE OWNER AND ARCHITECT OF RECORD.
- D. FIELD VERIFY EXISTING CONDITIONS AND DIMENSIONS INDICATED ON THE DRAWINGS AND REPORT ANY DISCREPANCIES TO THE ARCHITECT / ENGINEER PRIOR TO COMMENCEMENT OF WORK.
- E. ALL AREAS EFFECTED BY DEMOLITION SHALL BE PATCHED AND PREPPED TO MATCH ADJACENT SURFACES AND TO RECEIVE NEW FINISHES.
- F. CONTRACTOR SHALL ALLOW FOR UNLEVEL FLOOR CONDITIONS. ADJUST DOORS AND FRAMES AS REQUIRED.
- G. ALL CAULKING SHALL BE COORDINATED BY THE GENERAL CONTRACTOR. ITEMS THAT ABUT TO WALL SHALL HAVE FINISH CAULK, AND SHALL INCLUDE, BUT NOT LIMITED TO: DOOR FRAMES. CAULK COLOR SHALL MATCH ADJACENT WALL COLOR UNLESS SPECIFIED OTHERWISE. SUBMIT COLOR SAMPLES FOR APPROVAL BY ARCHITECT.
- H. GENERAL CONTRACTOR SHALL PROVIDE ALL NECESSARY BLOCKING (FIRE RATED AS REQ'D) CONCEALED WITHIN THE WALL AS REQUIRED FOR AND ALL ITEMS THAT MUST BE SECURED TO THE WALL.
- I. ALL DIMENSIONS ARE FINISH FACE TO FINISH FAC, U.N.O.
- J. VERIFY WINDOW AND DOOR OPENING SIZES WITH SELECTED MANUFACTURER; ADJUST AS REQUIRED.
- K. REPORT ALL DISCREPANCIES WITH DIMENSIONS AND FIELD CONDITIONS BEFORE FRAMING.
- L. DO NOT SCALE DRAWINGS.

KEY NOTES - FLOOR PLANS AND ELEVATIONS	
NO.	DESCRIPTION
1	INDICATED WINDOW TO HAVE OBSCURE GLASS
2	WINDOWS WA & WB, REFER TO WINDOW TYPES, SHEET A600.3
3	IRON BASEMENT WELL GRILL COVER. REMOVE AND REPLACE AS REQ'D. TO ACCESS WINDOW- STORE SAFELY. PROTECT FROM DAMAGE.
4	DECORATIVE IRON RAIL. REFER TO PAINTING SCOPE, SHEET A600.3
5	HVAC LOUVER IN UPPER WINDOW SASH TO REMAIN. REFER TO SHEET A600.3
6	LOUVER, REFER TO PAINTING SCOPE, SHEET A600.3
7	OPERABLE WINDOW DESIGNATION, REFER TO WINDOW TYPES SHEET A600.3
8	WINDOWS WP & WQ, REFER TO WINDOW TYPES, SHEET A600.3
9	WINDOW TO HAVE CUSTODIAL LOCKS, NO SASH LIMITER
10	EXIST WOOD DOOR SYSTEM. REFER TO PAINTING SCOPE, SHEET A600.3



ISSUED FOR
BIDDING

Boone County Courthouse Window Replacement
201 Courthouse Square
Lebanon, IN 46052

Boone County Commissioners
116 West Washington St.
Lebanon, IN 46052

DISCLAIMER:
This construction document is the property of The Etica Group, Inc. It is intended solely for use by The Etica Group, Inc. its heirs, and assigns. Modification or reuse of the document without permission from The Etica Group, Inc. is prohibited. Use of this document for any purpose other than that intended by The Etica Group, Inc. constitutes an impermissible misuse. The Etica group, inc. is not responsible for any damage or injury resulting from misuse of this document. The Etica Group, Inc. disclaims all warranties, express or implied, relating to the use of this document for any purpose other than that intended by The Etica Group, Inc.



PROJECT NUMBER:
230139

REVISION SCHEDULE
4 | DESCRIPTION | DRAWN BY | DATE ISSUED

DATE ISSUED: 2/27/2024
DRAWN BY: NLC
CHECKED BY: DJH

DRAWING TITLE:
ATTIC FLOOR
PLAN

SHEET NUMBER:
A105

EXTERIOR ELEVATION LEGEND


EXISTING ITEM TO REMAIN
NEW ITEM

KEY NOTES - FLOOR PLANS AND ELEVATIONS

NO.	DESCRIPTION
1	INDICATED WINDOW TO HAVE OBSCURE GLASS
2	WINDOWS WA & WB, REFER TO WINDOW TYPES, SHEET A600.3
3	IRON BASEMENT WELL GRILL COVER. REMOVE AND REPLACE AS REQD. TO ACCESS WINDOW- STORE SAFELY. PROTECT FROM DAMAGE.
4	DECORATIVE IRON RAIL. REFER TO PAINTING SCOPE, SHEET A600.3
5	HVAC LOUVER IN UPPER WINDOW SASH TO REMAIN. REFER TO SHEET A600.3
6	LOUVER, REFER TO PAINTING SCOPE, SHEET A600.3
7	OPERABLE WINDOW DESIGNATION, REFER TO WINDOW TYPES SHEET A600.3
8	WINDOWS WP & WQ, REFER TO WINDOW TYPES, SHEET A600.3
9	WINDOW TO HAVE CUSTODIAL LOCKS. NO SASH LIMITER
10	EXIST WOOD DOOR SYSTEM. REFER TO PAINTING SCOPE, SHEET A600.3




1 North Elevation Schematic
A201 3/32" = 1'-0" REF:1/A101



3 East Elevation Schematic
A201 3/32" = 1'-0" REF:1/A101



2 South Elevation Schematic
A201 3/32" = 1'-0" REF:1/A101



4 West Elevation Schematic
A201 3/32" = 1'-0" REF:1/A101



ISSUED FOR
BIDDING

Boone County Courthouse Window Replacement
201 Courthouse Square
Lebanon, IN 46052
Boone County Commissioners
116 West Washington St.
Lebanon, IN 46052

DISCLAIMER:
This construction document is the property of The Etica Group, Inc. It is intended solely for use by The Etica Group, Inc. Its heirs, and assigns. Modification or reuse of the document without permission from The Etica Group, Inc. is prohibited. Use of this document for any purpose other than that intended by The Etica Group, Inc. constitutes an impermissible misuse. The Etica Group, Inc. is not responsible for any damage or injury resulting from misuse of this document. The Etica Group, Inc. disclaims all warranties, express or implied, relating to the use of this document for any purpose other than that intended by The Etica Group, Inc.



PROJECT NUMBER
230139

REVISION SCHEDULE
4 1 DESCRIPTION 1 DRAWN BY 1 DATE ISSUED

DATE ISSUED: 2/27/2024
DRAWN BY: NLC
CHECKED BY: DJH

DRAWING TITLE:
EXTERIOR
ELEVATIONS
SCHEMATIC

SHEET NUMBER:
A201

DEMOLITION NOTES







- ALL EXISTING SURFACES LOCATED ADJACENT TO, OR EXPOSED BY DEMOLITION WORK AND SCHEDULED TO RECEIVE NEW CONSTRUCTION, SHALL BE REPAIRED AND PATCHED AS REQUIRED TO CLEANLY AND SOUNDLY RECEIVE NEW WORK.
- ALL EXISTING SURFACE LOCATED ADJACENT TO DEMOLITION WORK AND SCHEDULE TO REMAIN EXPOSED AFTER COMPLETION OF NEW CONSTRUCTION SHALL BE REPAIRED AND PATCHED AS REQUIRED TO MATCH EXISTING.
- WHERE DEMOLITION WORK EXPOSED AND UNFINISHED SURFACE OR CONDITION IN A SURFACE TO REMAIN EXPOSED, THE CONTRACTOR SHALL PATCH, REPAIR, AND PREPARE SUCH SURFACE OR CONDITION AS REQUIRED TO PROPERLY RECEIVE NEW FINISHES AND TO MATCH THE EXISTING ADJACENT SURFACE.
- THE CONTRACTOR IS RESPONSIBLE FOR THE PROTECTION OF ALL EXISTING SURFACES, MATERIALS, AND COMPONENTS TO REMAIN. ANY DAMAGE RESULTING FROM THE PERFORMANCE OF THE WORK SHALL BE REPAIRED BY THE CONTRACTOR TO THE SATISFACTION OF ETICA GROUP AT NO ADDITIONAL COST TO THE OWNER.
- CONTRACTOR IS RESPONSIBLE FOR CUTTING AND PATCHING OF FLOORS, WALLS, AND CEILINGS. PATCH ALL AREAS REQUIRE TO ACCEPT NEW HVAC, PLUMBING, AND ELECTRICAL WORK. PATCH AND REPAIR TO A FINISHED CONDITION INDICATED IN THE DRAWINGS OR TO MATCH EXISTING.
- THE CONTRACTOR SHALL REVIEW IN ADVANCE ALL PORTIONS OF THE WORK TO VERIFY THAT THE WORK WILL NOT PROHIBIT COMPLETION OF THE PROJECT AS INTENDED. ANY QUESTIONS SHALL PROMPTLY REFERRED TO THE ARCHITECT FOR RESOLUTION.
- FIELD VERIFY EXISTING CONDITIONS AND DIMENSIONS INDICATED ON THE DRAWINGS AND REPORT ANY DISCREPANCIES TO THE ARCHITECT / ENGINEER PRIOR TO COMMENCEMENT OF WORK.
- THE CONTRACTOR SHALL REMOVE AND/OR DEMOLISH ITEMS INDICATED. DEMOLISHED ITEMS SHALL BE REMOVED FROM THE SITE IMMEDIATELY BY THE CONTRACTOR U.N.O. ALL ITEMS TO REMAIN PROPERTY OF THE OWNER SHALL BE STORED ON SITE AS INDICATED
- IF HAZARDOUS MATERIALS ARE UNCOVERED, CONTACT THE ARCHITECT/ENGINEER. THE OWNER, SEPARATE FROM THIS CONTRACT SHALL REMOVE ALL HAZARDOUS MATERIALS.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR ALL DEMOLITION REQUIRED FOR THE INSTALLATION OF NEW WORK WHETHER OR NOT IT SPECIFICALLY SHOWN OR NOTED ON THE DOCUMENTS.
- THE CONTRACTOR SHALL FIELD INSPECT ALL DEMOLITION WORK, PRIOR TO REMOVAL TO INSURE SUCH REMOVAL DOES NOT IMPAIR STRUCTURAL INTEGRITY OF EXISTING BUILDING. IF FIELD INSPECTION INDICATES STRUCTURAL INTEGRITY MAY BE IMPAIRED, NOTIFY THE ARCHITECT IMMEDIATELY.
- THE CONTRACTOR SHALL REMOVE ALL DEBRIS, LOOSE PAINT, ETC., FROM ALL NEWLY EXPOSED SURFACES.
- DUST PARTITIONS SHALL BE USED BY THE CONTRACTOR TO MINIMIZE DISTURBANCES OF DAILY OWNER OPERATIONS DURING DEMOLITION AND CONSTRUCTION WORK. DUST PARTITIONS SHALL BE CONSTRUCTED OF 2X4 WOOD STUDS 24" ON CENTER, INSULATION, AND 6 MIL VAPOR BARRIER OR APPROVED EQUAL.
- THE DEMOLITION PLAN AND NOTES SHALL SERVE TO AID THE CONTRACTOR IN HIS EVALUATION OF EXTENT OF THE DEMOLITION, BUT SHALL NOT BE HELD TO BE INCLUSIVE.
- ALL EXISTING WINDOWS, DOORS, AND FRAMES SHALL BE REMOVED IN THEIR ENTIRETY, U.N.O. ALL ADJACENT SURFACES TO BE PREPARED TO RECEIVE NEW UNITS.
- THE CONTRACTOR SHALL FIELD VERIFY ALL EXISTING WALL, FLOOR, AND CEILING CONDITIONS TO DETERMINE THE EXTENT AND METHODS OF DEMOLITION TO ALLOW FOR NEW CONSTRUCTION. ANY DEVIATIONS SHALL BE REPORTED TO THE ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
- EXISTING ADJACENT MATERIALS THAT ARE TO REMAIN ARE TO BE PROTECTED FROM DAMAGE OR REPLACE WITH SAME (TRIM, WALL COVERINGS, FLOOR COVERINGS, ETC.)


DEMOLITION LEGEND

- EXISTING ITEM TO REMAIN
- EXISTING WALL TO REMAIN
- EXISTING ITEM TO REMAIN U.N.O.
- EXISTING ITEM TO BE REMOVED


GENERAL WINDOW NOTES

- CONTRACTOR(S) SHALL VISIT THE WORK SITE PRIOR TO COMMENCEMENT. THE DRAWINGS CONTAINED HEREIN MAY NOT BE ALL INCLUSIVE OF EXISTING CONDITIONS OR NEW WORK REQUIREMENTS. CONTRACTOR(S) SHALL MAKE THEMSELVES FAMILIAR WITH THE WORK SITE IN THE FIELD IN ORDER TO BE FULLY AWARE OF THE REQUIREMENTS OF THE SCOPE OF WORK.
- FIELD VERIFY ALL DIMENSIONS AND MEASUREMENTS. INFORM THE GENERAL CONTRACTOR BEFORE BEGINNING ANY CONSTRUCTION IF EXISTING CONDITIONS PREVENT OBTAINING RESULTS AS SHOWN OR SPECIFIED. DO NOT SCALE DRAWINGS. NOTED DIMENSIONS TAKE PRECEDENCE.
- IT IS THE CONTRACTOR'S RESPONSIBILITY TO VERIFY ALL DIMENSIONS & JOB CONDITIONS FOR EACH INDIVIDUAL OPENING.
- VERIFY EXISTING CONDITIONS INDICATED ON THE DRAWINGS AND REPORT ANY DISCREPANCY THROUGH THE GENERAL CONTRACTOR TO ETICA GROUP, INC.
- CONTACT THE DESIGNER IMMEDIATELY IF, IN THE FIELD, CONFLICTS ARE DISCOVERED BETWEEN COMPONENTS OF DIFFERENT SYSTEMS THAT PREVENT THE INSTALLATION OF THOSE COMPONENTS AS INDICATED ON THE DRAWINGS. (I.E. WHERE EXISTING MECHANICAL DUCTWORK MAY PREVENT THE INSTALLATION OF WINDOWS AS INDICATED).







6 NEW WINDOW HEAD DETAIL - WINDOW - ATTIC FLR. (BASEMENT WINDOWS SIMILAR)
6" = 1'-0"




5 NEW JAMB DETAIL - WINDOW- ATTIC FLR. (BASEMENT WINDOWS SIMILAR)
6" = 1'-0"




4 NEW SILL DETAIL - WINDOW - ATTIC FLR. (BASEMENT WINDOWS SIMILAR)
6" = 1'-0"



3 EXISTING HEAD DETAIL - WINDOW - ATTIC FLR. (BASEMENT WINDOWS SIMILAR)
6" = 1'-0"



2 EXISTING JAMB DETAIL - WINDOW- ATTIC FLR. (BASEMENT WINDOWS SIMILAR)
6" = 1'-0"



1 EXIST SILL DETAIL - WINDOW - ATTIC FLR. (BASEMENT WINDOWS SIMILAR)
6" = 1'-0"

DEMOLITION NOTES






- ALL EXISTING SURFACES LOCATED ADJACENT TO, OR EXPOSED BY DEMOLITION WORK AND SCHEDULED TO RECEIVE NEW CONSTRUCTION, SHALL BE REPAIRED AND PATCHED AS REQUIRED TO CLEANLY AND SOUNDLY RECEIVE NEW WORK.
- ALL EXISTING SURFACE LOCATED ADJACENT TO DEMOLITION WORK AND SCHEDULE TO REMAIN EXPOSED AFTER COMPLETION OF NEW CONSTRUCTION SHALL BE REPAIRED AND PATCHED AS REQUIRED TO MATCH EXISTING.
- WHERE DEMOLITION WORK EXPOSED AND UNFINISHED SURFACE OR CONDITION IN A SURFACE TO REMAIN EXPOSED, THE CONTRACTOR SHALL PATCH, REPAIR, AND PREPARE SUCH SURFACE OR CONDITION AS REQUIRED TO PROPERLY RECEIVE NEW FINISHES AND TO MATCH THE EXISTING ADJACENT SURFACE.
- THE CONTRACTOR IS RESPONSIBLE FOR THE PROTECTION OF ALL EXISTING SURFACES, MATERIALS, AND COMPONENTS TO REMAIN. ANY DAMAGE RESULTING FROM THE PERFORMANCE OF THE WORK SHALL BE REPAIRED BY THE CONTRACTOR TO THE SATISFACTION OF ETICA GROUP AT NO ADDITIONAL COST TO THE OWNER.
- CONTRACTOR IS RESPONSIBLE FOR CUTTING AND PATCHING OF FLOORS, WALLS, AND CEILINGS. PATCH ALL AREAS REQUIRE TO ACCEPT NEW HVAC, PLUMBING, AND ELECTRICAL WORK. PATCH AND REPAIR TO A FINISHED CONDITION INDICATED IN THE DRAWINGS OR TO MATCH EXISTING.
- THE CONTRACTOR SHALL REVIEW IN ADVANCE ALL PORTIONS OF THE WORK TO VERIFY THAT THE WORK WILL NOT PROHIBIT COMPLETION OF THE PROJECT AS INTENDED. ANY QUESTIONS SHALL PROMPTLY REFERRED TO THE ARCHITECT FOR RESOLUTION.
- FIELD VERIFY EXISTING CONDITIONS AND DIMENSIONS INDICATED ON THE DRAWINGS AND REPORT ANY DISCREPANCIES TO THE ARCHITECT / ENGINEER PRIOR TO COMMENCEMENT OF WORK.
- THE CONTRACTOR SHALL REMOVE AND/OR DEMOLISH ITEMS INDICATED. DEMOLISHED ITEMS SHALL BE REMOVED FROM THE SITE IMMEDIATELY BY THE CONTRACTOR U.N.O. ALL ITEMS TO REMAIN PROPERTY OF THE OWNER SHALL BE STORED ON SITE AS INDICATED.
- IF HAZARDOUS MATERIALS ARE UNCOVERED, CONTACT THE ARCHITECT/ENGINEER. THE OWNER, SEPARATE FROM THIS CONTRACT SHALL REMOVE ALL HAZARDOUS MATERIALS.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR ALL DEMOLITION REQUIRED FOR THE INSTALLATION OF NEW WORK WHETHER OR NOT IT SPECIFICALLY SHOWN OR NOTED ON THE DOCUMENTS.
- THE CONTRACTOR SHALL FIELD INSPECT ALL DEMOLITION WORK, PRIOR TO REMOVAL TO INSURE SUCH REMOVAL DOES NOT IMPAIR STRUCTURAL INTEGRITY OF EXISTING BUILDING. IF FIELD INSPECTION INDICATES STRUCTURAL INTEGRITY MAY BE IMPAIRED, NOTIFY THE ARCHITECT IMMEDIATELY.
- THE CONTRACTOR SHALL REMOVE ALL DEBRIS, LOOSE PAINT, ETC., FROM ALL NEWLY EXPOSED SURFACES.
- DUST PARTITIONS SHALL BE USED BY THE CONTRACTOR TO MINIMIZE DISTURBANCES OF DAILY OWNER OPERATIONS DURING DEMOLITION AND CONSTRUCTION WORK. DUST PARTITIONS SHALL BE CONSTRUCTED OF 2X4 WOOD STUDS 24" ON CENTER, INSULATION, AND 6 MIL VAPOR BARRIER OR APPROVED EQUAL.
- THE DEMOLITION PLAN AND NOTES SHALL SERVE TO AID THE CONTRACTOR IN HIS EVALUATION OF EXTENT OF THE DEMOLITION, BUT SHALL NOT BE HELD TO BE INCLUSIVE.
- ALL EXISTING WINDOWS, DOORS, AND FRAMES SHALL BE REMOVED IN THEIR ENTIRETY, U.N.O. ALL ADJACENT SURFACES TO BE PREPARED TO RECEIVE NEW UNITS.
- THE CONTRACTOR SHALL FIELD VERIFY ALL EXISTING WALL, FLOOR, AND CEILING CONDITIONS TO DETERMINE THE EXTENT AND METHODS OF DEMOLITION TO ALLOW FOR NEW CONSTRUCTION. ANY DEVIATIONS SHALL BE REPORTED TO THE ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
- EXISTING ADJACENT MATERIALS THAT ARE TO REMAIN ARE TO BE PROTECTED FROM DAMAGE OR REPLACE WITH SAME (TRIM, WALL COVERINGS, FLOOR COVERINGS, ETC.)

DEMOLITION LEGEND

- EXISTING ITEM TO REMAIN
- EXISTING WALL TO REMAIN
- EXISTING ITEM TO REMAIN U.N.O.
- EXISTING ITEM TO BE REMOVED

GENERAL WINDOW NOTES

- CONTRACTOR(S) SHALL VISIT THE WORK SITE PRIOR TO COMMENCEMENT. THE DRAWINGS CONTAINED HEREIN MAY NOT BE ALL INCLUSIVE OF EXISTING CONDITIONS OR NEW WORK REQUIREMENTS. CONTRACTOR(S) SHALL MAKE THEMSELVES FAMILIAR WITH THE WORK SITE IN THE FIELD IN ORDER TO BE FULLY AWARE OF THE REQUIREMENTS OF THE SCOPE OF WORK.
- FIELD VERIFY ALL DIMENSIONS AND MEASUREMENTS. INFORM THE GENERAL CONTRACTOR BEFORE BEGINNING ANY CONSTRUCTION IF EXISTING CONDITIONS PREVENT OBTAINING RESULTS AS SHOWN OR SPECIFIED. DO NOT SCALE DRAWINGS. NOTED DIMENSIONS TAKE PRECEDENCE.
- IT IS THE CONTRACTOR'S RESPONSIBILITY TO VERIFY ALL DIMENSIONS & JOB CONDITIONS FOR EACH INDIVIDUAL OPENING.
- VERIFY EXISTING CONDITIONS INDICATED ON THE DRAWINGS AND REPORT ANY DISCREPANCY THROUGH THE GENERAL CONTRACTOR TO ETICA GROUP, INC.
- CONTACT THE DESIGNER IMMEDIATELY IF, IN THE FIELD, CONFLICTS ARE DISCOVERED BETWEEN COMPONENTS OF DIFFERENT SYSTEMS THAT PREVENT THE INSTALLATION OF THOSE COMPONENTS AS INDICATED ON THE DRAWINGS. (I.E. WHERE EXISTING MECHANICAL DUCTWORK MAY PREVENT THE INSTALLATION OF WINDOWS AS INDICATED).



WINDOW TYPES


Scale = 1/2" = 1'-0"

WINDOW SCHEDULE - Listed R.O. sizes are for reference only - Contractor to verify							
Tag	Count	Rough Width	Rough Height	Window Type	Operation	Frame	Comments
W-A	10	4'-6 3/8"	3'-9 13/16"	Single Hung	Single Hung	Aluminum Clad	
W-B	3	4'-0 3/8"	3'-9 13/16"	Single Hung	Single Hung	Aluminum Clad	
W-C	48	4'-6 3/8"	8'-2 13/16"	Single Hung	Single Hung	Aluminum Clad	
W-D	20	4'-0 3/8"	8'-2 13/16"	Single Hung	Single Hung	Aluminum Clad	
W-E	24	4'-6 3/8"	7'-7 5/8"	Single Hung	Single Hung		
W-F	10	4'-0 3/8"	7'-7 5/8"	Single Hung	Single Hung		
W-G	4	1'-6 3/8"	5'-5 13/16"	Single Hung	Single Hung	Aluminum Clad	
W-H1	8	2'-4 3/8"	5'-1 13/16"	Single Hung	Single Hung	Aluminum Clad	
W-H2	8	2'-4 3/8"	1'-2 13/16"	Casement	Fixed	Aluminum Clad	
W-I	4	1'-6 3/8"	5'-0 13/16"	Single Hung w/ Decorative Top Sash	Single Hung	Aluminum Clad	Tru-Divided Lights
W-J	8	2'-4 3/8"	8'-2 13/16"	Single Hung	Single Hung	Aluminum Clad	
W-K	2	4'-6 3/8"	6'-0 13/16"	Single Hung w/ Decorative Top Sash	Single Hung	Aluminum Clad	Tru-Divided Lights
W-L	8	2'-4 3/8"	7'-2 13/16"	Single Hung	Single Hung	Aluminum Clad	
W-M	4	2'-10 3/8"	8'-2 13/16"	Single Hung	Fixed	Aluminum Clad	
W-N	8	2'-4 3/8"	7'-7 5/8"	Single Hung	Single Hung		
W-O	8	3'-2 3/8"	4'-9 13/16"	Casement	Fixed	Aluminum Clad	
Grand total	177						

NOTE: REFER TO FLOOR PLANS AND ELEVATIONS FOR ADDITIONAL REQUIREMENTS

WINDOW COMPONENTS

- SCOPE: BRICK TO BRICK ALUMINUM CLAD WOOD WINDOW WITH (BRICKMOLD-TYP. - UNLESS NOTED OTHERWISE).
- PELLA RESERVE TRADITIONAL IS THE 'BASIS OF DESIGN.'
- GLASS: DUAL "SUNDEFENCE LOW-E" INSULATING GLASS ARGON NON HIGH ALTITUDE (U FACTOR 0.28) (.27 SHGC)
- JAMBS: 4 9/16".
- FRAMES: EXTERIOR CLADDING (BLACK), INTERIOR STAINED PINE (COLOR TO MATCH EXISTING INTERIOR TRIM. SAMPLE TO BE APPROVED BY ARCHITECT.).
- SCREEN: HALF SCREEN-TYP. UNLESS NOTED OTHERWISE) FACTORY INSTALLED, COLOR TO MATCH EXTERIOR UNIT COLOR. FRAMES WITH CHARCOAL COLORED FIBERGLASS, NON STANDARD, HIGH TRANSPARENCY MESH.
- HARDWARE: OIL RUBBED BRONZE UPGRADED BALANCE, SPOON STYLE LOCK, OIL RUBBED BRONZE, SASH LIMITING OPENING HARDWARE-TYP. UNLESS NOTED OTHERWISE.
- EXTERIOR SASH LINER: COLOR TO MATCH EXTERIOR UNIT COLOR.
- INTERIOR SASH LINER: COLOR TO MATCH EXISTING INTERIOR TRIM. SAMPLE TO BE APPROVED BY ARCHITECT.
- TEMPERED GLASS: PER DRAWINGS AND WHERE REQUIRED BY CODE.



PAINTING SCOPE


Scale = 1/2" = 1'-0"

ISSUED FOR BIDDING

Boone County Courthouse Window Replacement
201 Courthouse Square
Lebanon, IN 46052

Boone County Commissioners
116 West Washington St.
Lebanon, IN 46052

DISCLAIMER:
This construction document is the property of The Etica Group, Inc. It is intended solely for use by The Etica Group, Inc. Its heirs, and assigns. Modification or reuse of the document without permission from The Etica Group, Inc. is prohibited. Use of this document for any purpose other than that intended by The Etica Group, Inc. constitutes an impermissible misuse. The Etica group, Inc. is not responsible for any damage or injury resulting from misuse of this document. The Etica Group, Inc. disclaims all warranties, express or implied, relating to the use of this document for any purpose other than that intended by The Etica Group, Inc.



PROJECT NUMBER:
230139

REVISION SCHEDULE
4 | 1 | DESCRIPTION | DRAWN BY | DATE ISSUED

DATE ISSUED:
2.27.2024

DRAWN BY:
NLC

CHECKED BY:
DJH

DRAWING TITLE:
WINDOW
SCHEDULE AND
WINDOW TYPES

SHEET NUMBER:
A600.3